

1995

Lisziewicz J., Sun D., Trapnell B., Thomson M., Chang H.K., Ensoli B., and Peng B. An autoregulated dual-function antitumor gene for human immunodeficiency virus type 1 gene therapy. *J. Virol.* 69: 206-212, 1995.

Samaniego F., Markham P.D., Gallo R.C., and Ensoli B. Inflammatory cytokines induce AIDS-Kaposi's sarcoma-derived spindle cells to produce and release basic fibroblast growth factor and enhance Kaposi's sarcoma-like lesion formation in nude mice. *J. Immunol.* 154:3582-3592, 1995.

Fiorelli V., Gendelman R., Samaniego F., Markham P.D., and Ensoli B. Cytokines from activated T cells induce normal endothelial cells to acquire the phenotypic and functional features of AIDS-Kaposi's sarcoma spindle cells. *J. Clin. Invest.* 95: 1723-1734, 1995.

Albini A., Barillari G., Benelli R., Gallo R.C., and Ensoli B. Angiogenic properties of human immunodeficiency virus type 1 Tat protein. *Proc. Natl. Acad. Sci. USA* 92: 4838-4842, 1995.

Vandendriessche T., Chuah M.K.L., Chiang L., Chang H.K., Ensoli B., and Morgan R.A. Inhibition of clinical human immunodeficiency virus (HIV) type 1 isolates in primary CD4+ T lymphocytes by retroviral vectors expressing anti-HIV genes. *J. Virol.* 69: 4045-4052, 1995.

Ensoli F., Cafaro A., Fiorelli V., Vannelli B., Ensoli B., and Thiele C.J. HIV-1 infection of primary neuroblasts. *Virology* 210: 221-225, 1995.

Ensoli B. and Gallo R.C. AIDS-associated Kaposi's sarcoma: A new perspective of its pathogenesis and treatment. *Proc. Assoc. Am. Physicians* 107: 8-18, 1995.

Chang H.K., Gallo R.C., and Ensoli B. Regulation of cellular gene expression and function by the human immunodeficiency virus type 1 Tat protein. *J. Biomed. Sci.* 2:189-202, 1995.

Federico M., Nappi F., Bona R., d'Aloja P., Verani P., Rossi G.B. Full expression of transfected non-producer interfering HIV-1 proviral DNA abrogates susceptibility of human He-La CD4+ cells to HIV. *Virology* 206:76-84, 1995.

Chelucci C., Hassan H.J., Locardi C., Bulgarini D., Pelosi E., Mariani G., Testa U., Federico M., Valtieri M., and Peschle C. In vitro human immunodeficiency virus-1 infection on purified hematopoietic progenitors in single-cell culture. *Blood* 85 (5):1181-1187, 1995.

Federico M., Nappi F., Ferrari G., Chelucci C., Mavilio F., Verani P. A non-producer, interfering HIV-1 provirus can be transduced through a MLV-based retroviral vector: recovery of an anti-HIV mouse/human pseudotype retrovirus. *J. of Virology* 69:6618-6626, 1995.

Di Luca D., Mirandola P., Ravaioli T., Dolcetti R., Frigatti A., Bovenzi P., Sighinolfi L., Monini P., and Cassai E. Human herpesvirus 6 and 7 in salivary glands and shedding in saliva of healthy and human immunodeficiency virus positive individuals. *Journal of Medical Virology* 45:462-468 (1995). (IF: 2.629)

Incorvaia C., Manservigi R., Parmeggiani F., Monini P., Longhini L., Caselli E., and Cassai E. Effects of the passive transfer of Anti-gB antibodies in a rabbit model of HSV-1 induced keratitis. *Ophthalmologica* 209:340-345 (1995). (IF: 0.647)

Mannini-Pallenzona A., Moschella A., Costanzo F., Manservigi R., and Monini P. Cell-type dependent sensitivity of herpes simplex virus 1 mutants to plaque development inhibition by an anti-gD monoclonal antibody. *Microbiologica* 18:351-358 (1995). (IF: 0.438)

Monini P., de Lellis L., Rotola A., Di Luca D., Ravaioli T., and Cassai E. Chimeric BK virus DNA episomes in a papillary urothelial bladder carcinoma. *Intervirology* 38:304-308 (1995). (IF: 0.955)

de Lellis L., Fabris M., Cassai E., Corallini A., Giraldo G., Feo C., and Monini P. Herpesvirus-like DNA sequences in non-AIDS Kaposi's sarcoma. *Journal of Infectious Diseases* 172:1065-1067 (1995). (IF: 4.857)

Monini, P, Rotola A., Di Luca D., de Lellis L., Chiari E., Corallini A., and Cassai E. DNA rearrangements impairing BK virus productive infection in urinary tract tumors. *Virology* 214:273-279 (1995). (IF: 3.363)

Pane F., Buttò S., Gobbo M.L., Franco M., Butteroni C., Pastore L., Maiorano G., Foggia A., Tullio Cataldo P., Guarino A., Tamburrini E., Solinas S., Piazza M., Vecchio G., Verani P. and Salvatore F. Direct detection of proviral gag segment of HIV in peripheral blood lymphocytes by a colorimetric PCR assay as a clinical laboratory tool applied to different at-risk populations. "J. Clin. Microbiol.", 33: 641-647, 1995.

1996

Bohan Morris C., Gendelman R., Marrogi A.J., Lu M., Lockyer J.M., Alperin-Lea W., and Ensoli B. Immunohistochemical detection of bcl-2 in AIDS-associated and classical Kaposi's sarcoma. *Am. J. Pathol.* 148: 1055-1063, 1996.

Ensoli B., Gallo R.C., and Fiorelli V. New developments: a look to the future. *Oncology* 10: 34-36, 1996.

Gallo R.C., Franchini G., Ensoli B., and Colombini-Hatch S. HTLV- and HIV-associated malignancies. In Bertino, J.R. (Ed.): *Encyclopedia of Cancer*, Vol. II, San Diego, Academic Press, 1996, pp. 866-887.

Otsuki T., Kumar S., Ensoli B., Kingma D.W., Yano T., Stetler-Stevenson M., Jaffe E.S., and Raffeld M. Detection of HHV-8/KSHV DNA sequences in AIDS-associated extranodal lymphoid malignancies. *Leukemia* 10:1358-1362, 1996

Brother M.B., Chang H.K., Lisziewicz J., Su D., Murty L.C., and Ensoli B. Block of Tat-mediated transactivation of tumor necrosis factor β gene expression by polymeric-TAR decoys. *Virology* 222:252-256, 1996.

Lisziewicz J., Sun D., Gallo R.C., Ensoli B., and Lori F. Efficacy of antitumor gene therapy in the presence of high multiplicity infection of inflammatory cytokines. *Human Gene Therapy* 7:2209-2216, 1996.

Faris M., Ensoli B., Stahl N., Yancopoulos G., Nguyen A., Wang S., and Nel A.E. Differential activation of the extracellular signal-regulated kinase, Jun Kinase and Janus Kinase-Stat pathways by oncostatin M and basic fibroblast growth factor in AIDS-derived Kaposi's sarcoma cells. *AIDS* 10:369-378, 1996.

Ensoli B., and Cafaro A. HIV-1 and Kaposi's sarcoma. *Eur. J. Cancer Prev.* 5:410-412, 1996.

Cafaro A., St. Louis D.C., Levine B., Lewis M., June C.H., Di Fabio S., Titti F., Verani P., and Ensoli B. Anti-CD3/28-mediated activation of T cells in monkeys: evaluation of proliferation, SIV replication and susceptibility to virus infection. *J. AIDS and Hum. Retrov.* (Lippincott-Raven Publishers), Abstracts of the 1996 Annual Meeting of the Institute of Human Virology, Baltimore, September 7-13, 1996, Vol. 14:65.

Ensoli B. AIDS-associated Kaposi's sarcoma pathogenesis. Role of inflammatory and angiogenic cytokines and HIV-1 Tat protein. *Proceedings of "HIV and Cytokines"*, Reims, Guenounou M. (Ed.), Chapter 44, pp. 341-348, 1996.

Titti F., De Rossi A., Geraci A., Masiero S., Corrias F., Panzini G.L., Sernicola L., Maggiorella M.T., Fabiani M., Baroncelli S., Turillazzi G.P., Amadori A., Chieco-Bianchi L. and Verani P. Immunotherapy of SIV-infected *Macaca fascicularis* with an inactivated whole SIV immunogen. *Cell. Pharm. AIDS Sci.*, 3: 269-276, 1996.

Titti F., Sernicola L., Corrias F., Borsetti A., Maggiorella M.T., Panzini G.L., Geraci A., Zamarchi R., Amadori A., Chieco-Bianchi L., Verani P. Vaccination of *Cynomolgus* monkeys with whole inactivated or live attenuated simian immunodeficiency virus. *Proceedings International Workshop*

on "Development and Application of Vaccines and Gene Therapy in AIDS". Eds. G. Giraldo, D.P. Bolognesi, M. Salvatore, E. Beth-Giraldo. In "Antibiotics and Chemotherapy", Karger, vol.48, 131-138. 1996.

Carlini F., A. Nicolini, P. D'Aloja, M. Federico, P. Verani. The non-producer phenotype of the human immunodeficiency virus type 1 provirus F12/HIV-1 is the result of multiple genetic variations. *J. of General Virology*, September 1996.

Monini P., de Lellis L., Fabris M., Rigolin F., and Cassai E. Kaposi's Sarcoma-associated Herpesvirus DNA sequences in prostate tissue and human semen. *New England Journal of Medicine* 334:1168-1172 (1996). (IF: 31.736)

Monini P., de Lellis L., and Barbanti-Brodano G. Association of BK and JC polyomaviruses and SV40 with human tumors In: *DNA Tumor Viruses: Oncogenic Mechanisms*, H. Friedman, M. Bendinelli & G. Barbanti-Brodano (Eds). New York Plenum Press (1996).

Monini P., Rotola A., de Lellis L., Corallini A., Albini A., Benelli R., Parravicini C., Barbanti-Brodano G., and Cassai E. Latent BK virus infection and Kaposi's sarcoma pathogenesis. *International Journal of Cancer* 66:717-722 (1996). (IF: 4.056)

Monini, P., and Laimonis, L.A.: Modulation of epithelial differentiation by the E6 and E7 oncoproteins of human papillomavirus. *Radiation Oncology Investigations*, 3:377-382 (1996).

Monini P., de Lellis L., Cassai E. Absence of HHV-8 in prostate and semen (reply). *The New England Journal of Medicine* 335:1237-1239 (1996). (IF: 31.736)

1997

Sirianni M.C., Uccini S., Angeloni A., Faggioni A., Cottoni F., and Ensoli B. Circulating spindle cells: correlation with human herpesvirus-8 (HHV-8) infection and Kaposi's sarcoma. *The Lancet* 349:255, 1997.

Samaniego F., Markham P.D., Gendelman R., Gallo R.C., and Ensoli B. Inflammatory cytokines induce endothelial cells to produce and release basic fibroblast growth factor and to promote Kaposi's sarcoma-like lesions in nude mice. *J. Immunol.* 158:1887-1894, 1997.

Chang H.C., Samaniego F., Nair B.C., Buonaguro L., and Ensoli B. HIV-1 Tat protein exits from cells via a leaderless secretory pathway and binds to extracellular matrix-associated heparan sulfate proteoglycans through its basic region. *AIDS* 11:1421-1431, 1997.

Blasig C., Zietz C., Haar B., Neipel F., Esser S., Brockmeyer N.H., Tschachler E., Colombini S., Ensoli B., Stürzl M. Monocytes in Kaposi's sarcoma lesions are productively infected by human herpesvirus 8. *J. Virol.* 71:7963-7968, 1997.

Baiocchi M., Olivetta E., Chelucci C., Santarcangelo A.C., Bona R., d'Aloja P., Testa U., Komatsu N., Verani P., and Federico M. HIV-resistant CD4 positive UT-7 magakaryocytic human cells becomes highly HIV-1 and HIV-2 susceptible upon CXCR4 transfection: induction of cell differentiation by HIV-1 infection. *Blood* 89:2670-2678, 1997.

Bona R., d'Aloja P., Olivetta E., Modest A., Modica A., Geraci A., Ferrari G., Verani P., and Federico M. Aberrant non infectious HIV-1 particles are released by chronically infected human T cells transduced with a retroviral vector expressing an interfering HIV-1 variant. *Gene Therapy* 4:1085-1092, 1997.

Rozera C., Baccarini S., Gentile M., Torrisi M.R., Proietti E., Federico M., Pulciani S. Stable transfection of provirus of human immunodeficiency virus into a murine packaging cell line. *Acta Virologica* 41:105-110, 1997.

Titti F., Sernicola L., Geraci A., Panzini G., Di Fabio S., Belli R., Monardo F., Borsetti A., Maggiorella M.T., Koanga-Mogtomo M.L., Corrias D., Zamarchi R., Amadori A., Chieco-Bianchi L. and Verani P. Live attenuated simian immunodeficiency virus prevents superinfection by cloned SIVmac251 in cynomolgus monkeys. *J. Gen. Virol.*, 78: 2529-2539, 1997.

Baroncelli S., Panzini G., Geraci A., Pardini S., Corrias F., Iale R., Varano F., Turillazzi PG., Titti F., Verani P. Longitudinal characterization of CD4, CD8 T-cell subsets and of haematological parameters in healthy newborns of cynomolgus monkeys. *Vet. Immunol. Immunopath.* 57:141-150, 1997.

Verani P., Titti F., Corrias F., Belli R., Di Fabio S., Geraci A., Koanga-Mogtomo M.L., Maggiorella M.T. and Sernicola L. Vaccines against HIV. *J. Biol. Reg. and Homeost. Agents*, 11: 82-87, 1997.

Strumia R., Roveggio C., Rotola A., Monini P., Cassai E. Keratoacanthomas: human papillomavirus and herpes simplex virus associated? *Journal of the European Academy of Dermatology and Venereology* 8:130-136 (1997). (IF: 1.021)

Monini P., Howard M.R., Rimessi P., de Lellis L., Schulz T.F., Cassai E. Human herpesvirus DNA in prostate and semen from HIV-negative individuals in Italy. *AIDS* 11:1530-1532 (1997). (IF: 5.983)

Buttò S., Argentini C., Mazzella A.M., Iannotti M.P., Leone P., Leone P., Nicolosi A. and Rezza G. Dual infection with different strains of the same HIV-1 subtype. "AIDS", 11: 694-696, 1997.

1998

Stürzl M., Blasig C., Opalenik S.R., Ensoli B., and Browning P.J. Expression of the human herpesvirus 8 encoded viral macrophage inflammatory protein-1 gene in Kaposi's sarcoma lesions. *AIDS* 12:1105-1106, 1998.

Sirianni M.C., Vincenzi L., Fiorelli V., Topino S., Scala E., Uccini S., Angeloni A., Faggioni A., Cerimele D., Cottoni F., Aiuti F., and Ensoli B. γ -interferon production in peripheral blood mononuclear cells and tumor infiltrating lymphocytes from Kaposi's sarcoma patients: correlation with the presence of human herpesvirus-8 in peripheral blood mononuclear cells and lesional macrophages. *Blood* 91:968-976, 1998.

Fiorelli V., Gendelman R., Sirianni M.C., Chang H.K., Colombini S., Markham P.D., Monini P., Sonnabend J., Pintus A., Gallo R.C., and Ensoli B. γ -interferon produced by CD8+ T cells infiltrating Kaposi's sarcoma induces spindle cells with angiogenic phenotype and synergy with Human Immunodeficiency Virus-1 Tat protein: an immune response to Human Herpes Virus-8 infection? *Blood* 91:956-967, 1998.

Ensoli B., and Monini P. Patogenesi del sarcoma di Kaposi. In "AIDS 1998. Il contributo italiano", eds. PICCIN, pp. 385-394, 1998.

Ensoli B., and Stürzl M. Kaposi's sarcoma: a result of the interplay among inflammatory cytokines, angiogenic factors and viral agents. (Eds. M. Sporn and J.T. Vilcek) *Cytokine and Growth Factor Reviews* 9:63-83, 1998.

Samaniego F., Markham P.D., Gendelman R., Watanabe Y., Kao V., Kowalski K., Sonnabend J.A., Pintus A., Gallo R.C., and Ensoli B. Vascular endothelial growth factor and basic fibroblast growth factor present in Kaposi's sarcoma (KS) are induced by inflammatory cytokines and synergize to promote vascular permeability and KS lesion development. *Am. J. Pathol* 152:1433-1443, 1998.

Barillari G., Albonici L., Franzese O., Modesti A., Liberati F., Barillari P., Ensoli B., Manzari V., and Santeusano G. The basic residues of placenta growth factor type 2 retrieve sequestered angiogenic factors into a soluble form. *Am. J. Pathol.* 152:1161-1166, 1998.

Faris M., Ensoli B., Kokot N., and Nel A.E. Inflammatory cytokines induce the expression of fibroblast growth factor (bFGF) isoforms required for the growth of Kaposi's sarcoma and endothelial cells through the activation of AP-1 response elements in the bFGF promoter. *AIDS* 12:19-27, 1998.

Ensoli F., Fiorelli V., Vannelli B., Barni T., De Cristofaro M., Ensoli B., and Thiele C. Basic fibroblast growth factor (bFGF) supports human olfactory neurogenesis by autocrine/paracrine mechanisms. *Neuroscience* 86:881-893, 1998.

Biberfeld P., Ensoli B., Stürzl M., and Schulz T.F. Kaposi sarcoma-associated herpesvirus/human herpesvirus 8, cytokines, growth factors and HIV in pathogenesis of Kaposi's sarcoma. *Current Opinion in Infectious Diseases* 11:97-105, 1998.

Rezza G., Lennette E.T., Giuliani M., Pezzotti P., Caprilli F., Monini P., Buttò S., Lodi G., Di Carlo A., Levy J.A., and Ensoli B. Prevalence and determinants of anti-lytic and anti-latent antibodies to human herpesvirus-8 among Italian individuals at risk of sexually and parenterally transmitted infections. *Int. J. Cancer* 77:361-365, 1998.

Kelly G.D., Ensoli B., Gunthel C. J., and Offermann M.K. Purified Tat induces inflammatory response genes in Kaposi's sarcoma cells. *AIDS* 12:1753-1761, 1998.

Ensoli B. Kaposi's sarcoma pathogenesis: role for cytokines, HIV-1 Tat protein and HHV-8 infection. (XIII Congress of the Italian Society of Immunopharmacology, September 9-11, 1998, Pavia, Italy) *Haematologica* (Meeting Supplement, Supplement n. 9) 83:1-5, 1998.

Ensoli B., Monini P., Colombini S., Goletti D., Cafaro A., Buttò S., Sgadari C., Leone P., Franco M., Leone P., Stürzl M., and Verani P. Role of HHV-8 in the pathogenesis of Kaposi's Sarcoma. (Paper presented at the Workshop of the Italian Society for Experimental Hematology, SIES, July 3rd, 1997, Florence, Italy) *Haematologica* 83: 467-468, 1998.

Sirianni M.C., Vincenzi L., Topino S., and Ensoli B. Production of human cytokines and β chemokines in AIDS-Kaposi's sarcoma patients. In Monduzzi Eds., *International Proceedings Division 12th World AIDS Conference, Geneva (Switzerland), June 28 – July 3, 1998*, pp. 99-103.

Ensoli B., and Sirianni M.C. Kaposi's sarcoma pathogenesis: a link between immunology and tumor biology. *Critical Reviews in Oncogenesis* 9:107-124, 1998.

Rizzardini G., Trabattoni D., Saresella M., Piconi S., Lukwiya M., Declich S., Fabiani M., Ferrante P., Clerici M. for the Italian-Ugandan AIDS cooperation program. (Buttò S, Zanchetta N., Blé C., Zagliani A., Biasin M., Milazzo F., Greco D., Ensoli B., and Corti P.). Immune activation in HIV-infected African individuals. *AIDS* 12:2387-2396, 1998.

Ensoli B. KS pathogenesis: role of cytokines, HIV-1 Tat protein and HHV-8 infection. *Euro-Shaks, European Study on HIV associated Kaposi's sarcoma (Workshop), Barcelona, June 4-5, 1998*, pp. 51-66.

Di Fabio S., Trabattoni D., Geraci A., Ruzzante S., Panzini G., Fusi M.L., Chiarotti F., Corrias F., Belli R., Verani P., Dalgleish A., Clerici M. and Titti F. Effects of thalidomide therapy in symptomatic simian immunodeficiency virus-infected cynomolgus. *AIDS*, 12: 334, 1998.

Medaglini D, Maggi T, Sestini P, Di Fabio S, Pace M, Titti F, Oggioni MR, Pozzi G. Mucosal vaccine delivery in the female genital tract by recombinant Gram-positive bacteria. *Periodicum biologorum*. 100(4): 1-6,1998.

Indraccolo S., Feroli F., Minuzzo S., Mion M., Rosato A., Zamarchi R., Titti F., Verani P., Amadori A. and Chieco-Bianchi L. DNA immunization of mice against SIVmac239 gag and env using rev-independent expression plasmids. *AIDS Res. Hum. Retr.*, 14: 83-90, 1998.

Maggiorella M.T., Monardo F., Koanga-Mogtomo M.L., Cioè L., Sernicola L., Corrias F., Baroni C.D., Verani P. and Titti F. Detection of infectious simian immunodeficiency virus in B- and T-cell lymphomas of experimentally infected macaques. *Blood*, 91: 3103-3111, 1998.

Di Fabio S, Medaglini D, Rush C, Corrias F, Panzini G, Pace M, Verani P, Pozzi G, Titti F. Vaginal immunization of Cynomolgus monkeys with *Streptococcus gordonii* expressing HIV-1 and HPV 16 antigens. *Vaccine*. 16(5): 485-92, 1998.

Chelucci C., Federico M., Guerriero R., Mattia G., Casella I., Pelosi E., Testa U., Mariani

G., Hassan H.J., and C. Peschle. Productive Human Immunodeficiency virus-1 infection of purified megakaryocytic progenitors/precursors and maturing megakaryocytes. *Blood* 94 (4): 1225-1234 February 15, 1998.

P. d'Aloja, E. Olivetta, R. Bona, F. Nappi, D Pedacchia, K. Pugliese, G. Ferrari, P. Verani and M. Federico. Gag, Vif and Nef genes contribute to the homologous viral interference induced by a non-producer human immunodeficiency virus type-1 (HIV-1) variant: identification of novel HIV-1 inhibiting viral protein mutants *J. of Virology*, 72, n.5; 4308-4319, May 1998

Pontesilli O., Guerra E.C., Ammassari A., Tomino C., Carlesimo M., Antinori A., Tamburrini E., Prozzo A., Seeber A.C., Vella S., Ortona L., Aiuti F. and The VaxSyn Protocol Team (Bucciardini R., Buttò S., Muzzi R., De Luca A., Pinter E., Ricci G., Tiracchia V., Mezzaroma I., Smith G.E.). Phase II controlled trial of post-exposure immunization with recombinant gp 160 versus antiretroviral therapy in asymptomatic HIV-1-infected adults. *"AIDS"*, 12: 473-480, 1998.

1999

Fiorelli V., Barillari G., Toschi E., Sgadari C., Monini P., Stürzl M., and Ensoli B. IFN- γ induces endothelial cells to proliferate and to invade the extracellular matrix in response to the HIV-1 Tat protein: implications for AIDS-Kaposi's sarcoma pathogenesis. *J. Immunol.* 162:1165-1170, 1999.

Stürzl M., and Ensoli B. Big but weak: how many pathogenic genes does human herpesvirus-8 need to cause Kaposi's sarcoma? *Int. J. Oncol.* 14:287-289, 1999.

Ensoli B., Monini P., and Sgadari C. Pathogenesis and cell biology of Kaposi's sarcoma. HIV and the New Viruses Second Edition. Eds. Prof. A. Dalglish and Prof. R. Weiss, Chapter 19, 385-413, 1999.

Sirianni M.C., Vincenzi L., Topino S., Mezzaroma I., Pinter E., Barbone B., Monini P., and Ensoli B. Type 1 and type 2 cytokine profile in AIDS-Kaposi's sarcoma patients after highly active antiretroviral therapy. In Monduzzi Eds., Fourth European Conference on Experimental AIDS Research (ECEAR), Tampere, Finland, June 18-21, 1999.

Ascherl G., Hohenadl C., Schatz O., Shumay E., Bogner J., Eckhart L., Tschachler E., Monini P., Ensoli B., and Stürzl M. Infection with Human Immunodeficiency Virus-1 increases expression of vascular endothelial cell growth factor in T cells: implications for acquired immunodeficiency syndrome-associated vasculopathy. *Blood* 93:4232-4241, 1999.

Andreoni M., El-Sawaf G., Rezza G., Ensoli B., Nicastrì E., Ventura L., Ercoli L., Sarmati L., and Rocchi G. High seroprevalence of antibodies to Human Herpesvirus-8 in Egyptian children: evidence of nonsexual transmission. *J. Natl. Cancer Inst.* 91:465-469, 1999.

Monini P., Carlini F., Stürzl M., Rimessi P., Superti F., Franco M., Melucci-Vigo G., Cafaro A., Goletti D., Sgadari C., Buttò S., Leone P., Leone P., Chiozzini C., Barresi C., Tinari A., Bonaccorsi A., Capobianchi M.R., Giuliani M., Di Carlo A., Andreoni M., Rezza G., and Ensoli B. Alpha interferon inhibits Human Herpesvirus 8 (HHV-8) reactivation in primary effusion lymphoma cells and reduces HHV-8 load in cultured peripheral blood mononuclear cells. *J. Virol.* 73:4029-4041, 1999.

Caselli E., Betti M., Grossi M.P., Balboni P.G., Rossi C., Boarini C., Cafaro A., Barbanti-Brodano G., Ensoli B., and Caputo A. DNA Immunization with HIV-1 tat Mutated in the trans Activation Domain Induces Humoral and Cellular Immune Responses Against Wild-Type Tat. *J. Immunol.* 162:5631-5638, 1999.

Cafaro A., Caputo A., Fracasso C., Maggiorella M.T., Goletti D., Baroncelli S., Pace M., Sernicola L., Koanga-Mogtomo M.L., Betti M., Borsetti A., Belli R., Åkerblom L., Corrias F., Buttò S., Heeney J., Verani P., Titti F., and Ensoli B. Control of SHIV89.6P-infection of cynomolgus monkeys by HIV-1 Tat protein vaccine. *Nat. Med.* 5:643-650, 1999.

Monini P., Colombini S., Stürzl M., Goletti D., Cafaro A., Sgadari C., Buttò S., Franco M., Leone P., Fais S., Leone P., Melucci-Vigo G., Chiozzini C., Carlini F., Ascherl G., Cornali E., Ziezt C., Ramazzotti E., Ensoli F., Andreoni M., Pezzotti P., Rezza G., Yarchoan R., Gallo R.C., and Ensoli B. Reactivation and Persistence of Human Herpesvirus-8 Infection in B Cells and Monocytes by Th-1 Cytokines Increased in Kaposi's Sarcoma. *Blood* 93:4044-4058, 1999.

Ensoli B., and Stürzl M. HHV-8 and multistep tumorigenesis. *Trends in Microbiology (Letters)*, 7:310-311, 1999.

Barillari G., Sgadari C., Palladino C., Gendelman R., Caputo A., Bohan Morris C., Nair B.C., Markham P., Nel A., Stürzl M., and Ensoli B. Inflammatory cytokines synergize with the HIV-1 Tat protein to promote angiogenesis and Kaposi's sarcoma via induction of basic fibroblast growth factor and $\alpha v\beta 3$ integrin. *J. Immunol.* 163:1929-1935, 1999.

Barillari G., Sgadari C., Fiorelli V., Samaniego F., Colombini S., Manzari V., Modesti A., Nair B.C., Cafaro A., Stürzl M., and Ensoli B. The Tat protein of human immunodeficiency virus type-1 promotes vascular cell growth and locomotion by engaging the $\alpha 5\beta 1$ and $\alpha v\beta 3$ integrins by mobilizing sequestered basic fibroblast growth factor. *Blood* 94:663-672, 1999.

Ascherl G., Hohenadl C., Monini P., Zietz C., Browning P.J., Ensoli B., and Stürzl M. Expression of human herpesvirus-8 (HHV-8) encoded pathogenic genes in Kaposi's sarcoma (KS) primary lesions. *Advances in Enzyme Regulation* 39:331-339, 1999.

Rezza G., Andreoni M., Dorrucchi M., Pezzotti P., Monini P., Zerboni R., Salassa B., Colangeli V., Sarmati L., Nicastrì E., Barbanera M., Pristera R., Aiuti F., Ortona L., and Ensoli B. Human herpesvirus 8 seropositivity and risk of Kaposi's sarcoma and other acquired immunodeficiency syndrome-related diseases. *J. Natl. Cancer Inst.* 91:1468-1474., 1999.

Stürzl M., Wunderlich A., Ascherl G., Hohenadl C., Monini P., Zietz C., Browning P.J., Neipel F., Biberfeld P., and Ensoli B. Human herpesvirus-8 (HHV-8) gene expression in Kaposi's sarcoma (KS) primary lesions: an in situ hybridization study. *Leukemia* 13:S110-S112, 1999.

Mihalcea A.M., Smith D.L., Monini P., Sgadari C., Ensoli B., and Gill P.S. Treatment update for AIDS-related Kaposi's sarcoma. *AIDS* 13:S215-S225, 1999.

Stürzl M., Hohenadl C., Zietz C., Castanos-Velez E., Wunderlich A., Ascherl G., Biberfeld P., Monini P., Browning P.J., and Ensoli B. Expression of the K13/v-FLIP gene of human herpesvirus 8 and apoptosis in Kaposi's sarcoma spindle cells. *J. Natl. Cancer Inst.* 91:1725-1733, 1999.

Cook P.M., Whitby D., Calabro M.L., Luppi M., Kakoola D.N., Hjalgrim H., Ariyoshi K., Ensoli B., Davison A.J., Schulz T.F and the International Collaborative Group (Burdyga G., Barozzi P., Mbidde E.K., Kellam P., Giannoudis A., Khoo S., Melbye M., Whittle H., Monini P., Buttò S., Hatzakis A., Newton R., Hadarson S., Dalberg J., Dictor M., Christofferson P., McGeoch D., and Weiss R.A.). Variability and evolution of Kaposi's sarcoma-associated herpesvirus in Europe and Africa. *AIDS* 13:1165-1176, 1999.

Monini P., Carlini F., Franco M., and Ensoli B. Retrovirus ed herpesvirus nella patogenesi del sarcoma di Kaposi. *GIMMOC*, Vol. 3, N. 2, pp.135-150, 1999.

Sirianni M.C., Vincenzi L., Topino S., and Ensoli B. Human beta chemokines and Kaposi's sarcoma. *The FASEB Journal*, 13. N. 5, 1999.

Goletti D., Macchia I., Pace M., Leone P., Sernicola L., Maggiorella M.T., Cafaro A., Baroncelli S., Verani P., Ensoli B. and Titti F. Inhibition of SHIV replication by CD8+ T lymphocytes from macaques immunized with live attenuated SIV. In Monduzzi Eds. *International Proceedings Division Fourth European Conference on Experimental AIDS Research*, Tampere (Finland), June 18-21, 1999, pp. 85-89.

Stürzl M., Ascherl G., Di Bartolo C., Tschachler E., Monini P., Ensoli B., and Hohenadl C. Angiogene Wachstumsfaktoren und humanes Herpesvirus-8: Schlüsselregulatoren der AIDS-assoziierten Vaskulopathie. In: HIV-Infekt. Brockmeyer, Brodt, Hoffman, Reimann, Stücker, Altmeyer (Eds.) Springer Verlag Berlin, Heidelberg, New York, pp. 88-94, 1999.

Rezza G., Dorrucchi M., Andreoni M., Arpino C., De Luca A., Monini P., Nicastrì E., Alliegro M.B., Pezzotti P., and Ensoli B. for the Italian HIV-Seroconversion Study (Sinicco A., Angarano G., Tarantini G., Lazzarin A., Salassa B., Pristerà R., Tirelli U., Mazzarello G., Colangeli V., Castelli F., Alberici F., Ursitti M.A., Barbanera M., Zaccarelli M., Ortona L., and Aiuti F.). Does HHV-8 have a protective role on the development of HIV encephalopathy?. *Neurology* 53:2032-2036, 1999.

Ensoli B. Control of viral replication and disease onset in cynomolgus monkeys by HIV-1 Tat vaccine. *Cent Gardes Book, Douzième Colloques de Cent Gardes, Editions Elsevier*, pp 77-82, 1999.

Ensoli B. Control of SHIV-89.6P Infection of Cynomolgus Monkeys by an HIV-1 Tat Vaccine. *AIDS Res. Hum. Retrov.*, Conference Summary: "Targeting HIV Reservoirs and Reconstituting the Immune System", Washington, April 18-19, 1999, pp. 1615-1616.

Sernicola L., Corrias F., Koanga-Mogtomo ML, Baroncelli S, Di Fabio S, Maggiorella MT, Belli R, Michelini Z, Macchia I, Cesolini A, Cioè L, Verani P, Titti F. Long-lasting protection by live attenuated simian immunodeficiency virus in cynomolgus monkeys: no detection of reactivation after stimulation with a recall antigen. *Virology*. 256: 291-302, 1999.

Maggiorella M.T., Koanga-Mogtomo M.L., Sernicola L., Corrias F., Negri D.R.M., Cesolini A., Baroni C., Verani P., Titti F. SIV-infected non-human primates as an animal model to study the pathogenesis of lymphoproliferative disorders. *The Fourth European Conference on Experimental AIDS Research. ECEAR. Tampere (Finlandia) 18-21 June, 1999, 101-104, Monduzzi Editore, 1999.*

Maggiorella M.T., Sernicola L., Baroncelli S., Koanga-Mogtomo M.L., Macchia I., Michelini Z., Belli R., Iale E., Corrias F., Verani P., Titti F. Multiple exposures to SIV strains and to SHIV89.6P do not abrogate protection in cynomolgus monkeys vaccinated with a Δ -Nef live attenuated virus. *The Fourth European Conference on Experimental AIDS Research. ECEAR, Tampere (Finlandia) 18-21 June, 1999, 105-110, Monduzzi Editore, 1999.*

Baroncelli S., Koanga-Mogtomo M.L., Michelini Z., Macchia I., Corrias F., Catone S., Belli R., Incitti F., Baroni C.D., Verani P., Titti F. Pentavalent MVA-SIV vaccine in cynomolgus monkeys: suppression of primary infection, but absence of sterilizing protection after challenge with SIVmac251. *The Fourth European Conference on Experimental AIDS Research. ECEAR, Tampere (Finlandia) 18-21 June, 1999, 23-27, Monduzzi Editore, 1999.*

Sernicola L, Corrias F, Koanga-Mogtomo ML, Baroncelli S, Di Fabio S, Maggiorella MT, Belli R, Michelini Z, Macchia I, Cesolini A, Cioè L, Verani P, Titti F. Long-lasting protection by live attenuated simian immunodeficiency virus in cynomolgus monkeys: no detection of reactivation after stimulation with a recall antigen. *Virology*. 1999 Apr 10;256(2):291-302.

C. Chelucci, I. Casella, M. Federico, U. Testa, G. Macioce, E. Pelosi, R. Guerriero, G. Mariani, A. Giampaolo, H.J. Hassan, and C. Peschle Lineage-specific expression of Human Immunodeficiency

Virus (HIV) receptor/coreceptors in differentiating hematopoietic precursors: correlation with susceptibility to T- and M-tropic HIV and chemokine-mediated HIV resistance. *Blood*, 94, 5, 1590-1600, 1 Sept. 1999

M. Federico Lentiviruses as gene delivery vectors. *Current Opinion in Biotechnology* Vol.10, N.5, Oct. 1999, 448-453

Pellett P.E., Spira T.J., Bagasra O., Boshoff C., Corey L., de Lellis L., Huang M.L., Lin J.C., Matthews S., Monini P., Rimessi P., Sosa C., Wood C., Stewart J.A. Multicenter comparison of PCR assays for detection of human herpesvirus 8 DNA in semen. *J. Clin. Microbiol.* 37:1298-301 (1999). (IF: 3.565)

Buttò S. and Tripiciano A. Diagnosi di laboratorio dell'infezione da HIV e follow-up del soggetto esposto al virus. In "HIV e counselling", Bravi E. e Serpelloni G Eds. La Grafica Edizioni. Capitolo 3: 51-68. October 1999.

2000

Ensoli B., and Cafaro A. Control of viral replication and disease onset in cynomolgus monkeys by HIV-1 TAT vaccine. *J. Biol. Regul. and Homeost. Agents* 14:22-26, 2000.

Annunziato F., Galli G., Nappi F., Cosmi L., Manetti R., Maggi E., Ensoli B., and Romagnani S. Limited expression of R5-tropic HIV-1 in CCR-5 positive type 1-polarized T cells explained by their ability to reproduce RANTES, MIP-1 α and MIP-1 β . *Blood* 95:1167-1174, 2000.

Rezza G., Befeuka Tchangmena O., Andreoni M., Bugarini R., Toma L., Kaou Bakary D., Glikoutou M., Sarmati L., Monini P., Pezzotti P., and Ensoli B. Prevalence and risk factors for Human Herpesvirus 8 infection in Northern Cameroon. *Sexually Transmitted Diseases* 27:159-164, 2000.

Rezza G., Dorrucchi M., Serraino D., Andreoni M., Giuliani M., Zerboni R., Sarmati L., Colangeli V., Salassa B., Monini P., Ensoli B., and Pezzotti P. for the Italian Seroconversion Study. Incidence of Kaposi's sarcoma and HHV-8 seroprevalence among homosexual men with known dates of HIV seroconversion. *AIDS* 14:1647-1653, 2000.

Sgadari C., Toschi E., Palladino C., Barillari G., Carlei D., Cereseto A., Ciccolella C., Yarchoan R., Monini P., Stürzl M., and Ensoli B. Mechanism of Paclitaxel activity in Kaposi's sarcoma. *J. Immunol.* 165:509-517, 2000.

Borsetti A., Parolin C., Ridolfi B., Sernicola L., Geraci A., Ensoli B., and Titti F. CD4-independent infection of two CD4-/CCR5-/CXCR4+ pre-T-cell lines by human and simian immunodeficiency viruses. *J. Virol.* 74:6689-6894, 2000.

Clerici M., Buttò S., Lukwiya M., Saresella M., Declich S., Trabattoni D., Pastori C., Piconi S., Fracasso C., Fabiani M., Ferrante P., Rizzardini G., and Lopalco L. for the Italian-Ugandan AIDS Project (Accorsi S., Amet O.A., Arienti D., Awil P.O., Barassi C., Benon B., Biasin M., Cogliati M., Colombo F., Corti P., Cristofaro A., Ensoli B., Fossati S., Fusi M.L., Greco D., Jacob O., Milazzo F., Ranghiasi A., Rosolen T., Villa M.L., Tancredi P., Zagliani A.). Immune activation in Africa is environmentally-driven and is associated with upregulation of CCR5. *AIDS* 14:2083-2092, 2000.

Ensoli B., and Buttò S. The development of a vaccine against AIDS based on the HIV-1 Tat protein. *South African Journal of Science* 96:324-327, 2000.

Cafaro A., Caputo A., Maggiorella M.T., Baroncelli S., Fracasso C., Pace M., Borsetti A., Sernicola L., Negri D.R.M., Ten Haaf P., Betti M., Michelini Z., Macchia I., Fanales-Belasio E., Belli R., Corrias F., Buttò S., Verani P., Titti F., and Ensoli B. SHIV89.6P pathogenicity in cynomolgus monkeys and control of viral replication and disease onset by human immunodeficiency virus type 1 Tat vaccine. *J. Med. Primatol* 29: 193-208, 2000.

Ridolfi B., Parolin C., Sernicola L., Fulgenzi D., Geraci A., Ensoli B., Titti F., and Borsetti A. Susceptibility of two CD4- T cell lines to HIV and SIV infection. *The Fifth European Conference on Experimental AIDS Research (ECEAR), Madrid (Spain), June 16-19, pp. 113-119, 2000.*

Tinari A., Monini P., Marchetti M., Ammendolia M.G., Leone P., Ensoli B., and Superti F. Lytic growth of human herpesvirus 8: morphological aspects. *Ultrastructural Pathology* 24:301-310, 2000.

Ensoli B., Nappi F., and Buttò S. Meccanismo di infezione dei virus dell'immunodeficienza acquisita (HIV-1, HIV-2, SIV). Enciclopedia Medica Italiana "Retrovirus", Aggiornamento II, Tomo III, pp. 5085-5089, 2000.

Ensoli B., Stürzl M., and Monini P. Cytokine-mediated growth promotion of Kaposi's sarcoma and primary effusion lymphoma. *Sem. Cancer Biol.*, 10:367-381, 2000.

Ensoli B., Monini P., and Sgadari C. Pathogenesis of Kaposi's sarcoma (KS): new insights in KS treatment. In: *Anlaidi Notizie (Speciale)*, Anno 10, Supplemento al n. 6, Dicembre 2000, pp. 28-38.

Di Fabio S., Trabattoni D., Geraci A., Ruzzante S., Panzini G., Fusi M.L., Chiarotti F., Corrias F., Belli R., Verani P., Dalgleish A., Clerici M., Titti F. Study of immunological and virological parameters during thalidomide treatment of SIV-infected cynomolgus monkeys. *J Med Primatol* 29:1-10, 2000.

Pintèr C., Beltrami S., Stoiber H., Negri D.R.M., Titti F., Clivio A. Interference with complement regulatory molecules as a possible therapeutic strategy in HIV infection. *Exp Opin Investig Drugs* 9:199-205, 2000.

Pintèr C, Beltrami S, Stoiber H, Negri DR, Titti F, Clivio A. Interference with complement regulatory molecules as a possible therapeutic strategy in HIV infection. *Expert Opin Investig Drugs*. 2000 Feb;9(2):199-205. Review.

Di Fabio S, Trabattoni D, Geraci A, Ruzzante S, Panzini G, Fusi ML, Chiarotti F, Corrias F, Belli R, Verani P, Dalgleish A, Clerici M, Titti F. Study of immunological and virological parameters during thalidomide treatment of SIV-infected cynomolgus monkeys. *J Med Primatol*. 2000 Feb;29(1):1-10.

Olivetta, K. Pugliese, R. Bona, P. d'Aloja, F. Ferrantelli, A.C. Santarcangelo, G. Mattia, P. Verani, and M. Federico. cis Expression of the F12 Human Immunodeficiency Virus (HIV) Nef allele transforms the highly productive NL4-3 HIV type 1 to a replication defective strain: involvement of both Env gp41 and CD4 intracytoplasmic tails. *Journal of Virology*, January 2000, 483-492, Vol.74, n.1

L. Conti, B. Varano, M.C. Gauzzi, P. Matarresse, M. Federico, W. Malorni, F. Belardelli and S. Gessani Impairment of Human Immunodeficiency Virus Type I entry into T Cells by constitutive expression of the HIV-1 Vpr protein: role of CD4 down-modulation. *Journal of Virology*, Nov 2000; 74,n.21, 10207-10211.

L. Alessandrini, A.C. Santarcangelo, E. Olivetta, F. Ferrantelli, P. d'Aloja, K. Pugliese, E. Pelosi, C. Chelucci, G. Mattia, C. Peschle, P. Verani and M. Federico. T-tropic human immunodeficiency virus (HIV) type 1 Nef protein enters human monocyte-macrophages and induces resistance to HIV replication: a possible mechanism of HIV T-tropic emergence in AIDS. *J. Gen. Virology*. 2000, 1, 2905-2917

Carbone A., Gloghini A., Bontempo D., Monini P., Tirelli U., Volpe R., Browning PJ., Gaidano GL. Proliferation in HHV-8-positive primary effusion lymphomas is associated with expression of HHV-8 cyclin but independent of p27^{kip1}. *Am. J. Pathol.* 156:1209-1215 (2000). (IF: 6.750)

Carbone A., Gloghini A., Cozzi M.R., Capello D., Steffan A., Monini P., De Marco L., Gaidano G.L. Expression of MUM1/IRF4 selectively clusters with primary effusion lymphoma among lymphomatous effusions: implications for disease histogenesis and pathogenesis. *Br. J. Haematol.* 111:247-257 (2000). (IF: 3.052)

2001

Ensoli B., and Cafaro A. Novel strategies toward the development of an effective vaccine to prevent Human Immunodeficiency Virus infection or Acquired Immunodeficiency Virus. In: *AIDS Clinical Review 2000/2001*, Volberding and Jacobson Eds., pp. 23-61.

Barillari G., Albonici L., Incerpi F., Bogetto L., Pistrutto G., Volpi A., Ensoli B., and Manzari V. Inflammatory cytokines stimulate vascular smooth muscle cells locomotion and growth by enhancing $\alpha 5\beta 1$ integrin expression and function. *Atherosclerosis*, 154:377-385, 2001.

Cafaro A., Titti F., Fracasso C., Maggiorella M.T., Baroncelli S., Caputo A., Goletti D., Borsetti A., Pace M., Fanales-Belasio E., Ridolfi B., Negri D.R.M., Sernicola L., Belli R., Corrias F., Macchia I., Leone P., Michelini Z., ten Haaf P., Buttò S., Verani P., and Ensoli B. Vaccination with DNA containing tat coding sequences and unmethylated CpG motifs protects cynomolgus monkeys upon infection with simian/human immunodeficiency virus (SHIV89.6P). *Vaccine*, 19:2862-2877, 2001.

Bussolino F., Mitola S., Serini G., Barillari G., and Ensoli B. Interactions between endothelial cells and HIV-1. *Int. J. Biochem. Cell Biol.*, 33:371-390, 2001.

Betti M., Voltan R., Marchisio M., Mantovani I., Boarini C., Nappi F., Ensoli B., and Caputo A. Characterization of HIV-1 Tat proteins mutated in the transactivation domain for prophylactic and therapeutic application. *Vaccine*, 19:3408-3419, 2001.

Laus M., Sparnacci K., Ensoli B., Buttò S., Caputo A., Mantovani I., Zuccheri G., Samorì B., and Tondelli L. Complex associates of plasmid DNA and a novel class of block Copolymers with PEG and cationic segments as new vectors for gene delivery. *J. Biomater. Sci. Polym. Ed.*, 12:209-228, 2001.

Ensoli B., Stürzl M., and Monini P. Reactivation and role of HHV-8 in Kaposi's sarcoma initiation. *Adv. Cancer Res.*, 81:161-200, 2001.

Ensoli B., Sgadari C., Barillari G., Sirianni M.C., Stürzl M., and Monini P. Biology of Kaposi's Sarcoma. *Eur. J. Cancer*, 37:1251-1269, 2001.

Stürzl M., Zietz C., Monini P., and Ensoli B. Human herpesvirus-8 and Kaposi's sarcoma: relationship with the multi-step concept of tumorigenesis. *Adv. Cancer Res*, 81:125-159, 2001.

Rimessi P., Bonaccorsi A., Stürzl M., Fabris M., Brocca-Cofano E., Caputo A., Melucci-Vigo G., Falchi M., Cafaro A., Cassai E., Ensoli B., and Monini P. Transcription pattern of human herpesvirus 8 open reading frame K3 in primary effusion lymphoma and Kaposi's sarcoma. *J. Virol.*, 75:7161-7174, 2001.

Accorsi S., Fabiani M., Lukwija M., Onek P.A., Di Mattei P., Declich S. for the Italian-Ugandan AIDS Cooperation Program (Greco D., Dente M.G., Tancredi P., Ranghiasi A., Corti P., Corrado B., Onyut A., Ouma J., Hasman A., Biryahwabo B., Rosolen T., Ensoli B., Buttò S., Clerici M., Zagliani A., Rizzardini G., Milazzo F., Piconi S., Ferrante P., Saresella M., Aloï A., Cosulich A). The increasing burden of infectious diseases on hospital services at St. Mary's Hospital Lacor, Gulu, Uganda. *Am. J. Trop. Med. Hyg.*, 64:154-158, 2001.

Ascherl G., Sgadari C., Bugarini R., Bogner J., Schatz O., Ensoli B., and Stürzl M. Serum concentrations of fibroblast growth factor-2 are increased in HIV type 1-infected patients and inversely related with survival probability. *AIDS Res. Hum. Retrov.*, 17:1035-1039, 2001.

Schatz O., Monini P., Bugarini R., Neipel F., Schulz T.F., Andreoni M., Erb P., Eggers M., Haas J., Buttò S., Lukwiya M., Bogner J.R., Yaguboglu S., Sheldon J., Sarmati L., Goebel F. D., Hintermaier R., Enders G., Regamey N., Wernli M., Stürzl M., Rezza G., and Ensoli B. Kaposi's sarcoma-associated herpesvirus serology in Europe and Uganda: multicentre study with multiple and novel assays. *J. Med. Virol.* 65:123-132, 2001.

Ten Haaft P., Almond N., Biberfeld G., Cafaro A., Cranage M., Ensoli B., Hunsmann G., Polyanskaya N., Stahl-Hennig C., Thortensson R., Titti F., Heeney J. Comparison of early plasma rna loads in different macaque species and the impact of different routes of exposure on siv/shiv infection. *J. Med. Primatol.* 30:207-214, 2001.

Sirianni M.C., Libi F., Scaramuzzi D., Topino S., Campagna M., Colbacchi B., Novi A., De Cristofaro M.R., Fiorelli V., Ensoli F., and Ensoli B. Modulation of the natural killer cell activity of peripheral blood mononuclear cells by the HIV Tat protein. *Proceedings of the 6th European Conference on Experimental AIDS Research (ECEAR 2001), Edinburgh (Scotland), June 23-26, 2001*, pp.81-85.

Toschi E., Barillari G., Sgadari C., Bacigalupo I., Cereseto A., Carlei D., Palladino C., Zietz C., Leone P., Stürzl M., Buttò S., Cafaro A., Monini P., and Ensoli B. Activation of Matrix-Metalloproteinase-2 and Membrane-Type-1-Matrix-Metalloproteinase in Endothelial Cells and Induction of Vascular Permeability in vivo by the Human Immunodeficiency Virus-1 Tat protein and Basic Fibroblast Growth Factor. *Mol. Biol. Cell*, 12:2934-2946, 2001.

Guenzi E., Töpolt K., Cornali E., Lubeseder-Martellato C., Zietz C., Kremmer E., Nappi F., Schwemmler M., Hohenadl C., Jörg A., Matzen K., Barillari G., Tschachler E., Monini P., Ensoli B., and Stürzl M. The helical domain of GBP-1 mediates the inhibition of endothelial cell proliferation by inflammatory cytokines. *EMBO J.*, 20:5568-5577, 2001.

Monini P., Sirianni M.C., Franco M., Vincenzi L., Topino S., Goletti D., Leone P., Leone P., Chiozzini C., Nicastrì E., Andreoni M., Borduagni O., Sgadari C., Rezza G., Stürzl M., and Ensoli B. Clearance of human herpesvirus 8 from blood and regression of leukopenia-associated aggressive classic Kaposi's sarcoma during interferon-alpha therapy: a case report. *Clin. Infect. Dis.*, 33:1782-1785, 2001.

De Maria A., Biassoni R., Fogli M., Rizzi M., Cantoni C., Costa P., Conte R., Mavilio D., Ensoli B., Cafaro A., Moretta A., Moretta L. Identification, molecular cloning and functional characterization of NKp46 and NKp30 natural cytotoxicity receptors in *Macaca Fascicularis* NK cells. *Eur. J. Immunol.*, 31:3546-3556, 2001.

Rezza G., Danaya R.T., Wagner T.M., Sarmati L., Owen I.L., Monini P., Andreoni M., Suligoï B.S., Ensoli B., and Pozio E. Human Herpesvirus-8 and Other Viral Infections, Papua New Guinea. *Emerg. Infect. Dis.* 7:893-895, 2001.

Andreoni M., Goletti D., Pezzotti P., Pozzetto A., Monini P., Sarmati L., Farchi F., Tisone G., Piazza A., Pisani F., Angelico M., Leone P., Citterio F., Ensoli B., Rezza G. Prevalence, incidence and correlates of HHV-8/KSHV infection and Kaposi's Sarcoma in renal and liver transplant recipients. *J. Infect.* 43:195-199, 2001.

Serraino D., Toma L., Andreoni M., Buttò S., Tchangmena O., Sarmati L., Monini P., Franceschi S., Ensoli B., and Rezza G. A seroprevalence study of human herpesvirus type 8 (HHV8) in eastern and Central Africa and in the Mediterranean area. *Eur. J. Epidemiol.* 17:871-876, 2001.

Negri D, Baroncelli S, Michelini Z, Macchia I, Belli R, Catone S, Incitti F, ten Haaft P, Corrias F, Cranage MP, Polyanskaya N, Norley S, Heeney J, Verani P, Titti F. Effect of vaccination with recombinant modified vaccinia virus Ankara expressing structural and regulatory genes of SIVmacJ5 on the kinetics of SIV replication in cynomolgus monkeys. *J. Med. Primatol.* 30: 197-206, 2001.

Negri DR, Baroncelli S, Michelini Z, Macchia I, Belli R, Catone S, Incitti F, ten Haaft P, Corrias F, Cranage MP, Polyanskaya N, Norley S, Heeney J, Verani P, Titti F. Effect of vaccination with recombinant modified vaccinia virus Ankara expressing structural and regulatory genes of SIV(macJ5) on the kinetics of SIV replication in cynomolgus monkeys. *J Med Primatol.* 2001 Aug;30(4):197-206.

O.T. Fackler, P. D'Aloja, A.S. Baur, M. Federico, and B.M. Peterlin Nef from Human Immunodeficiency Virus Type 1F12 Inhibits viral production and infectivity. *J. Virology*, July 2001; 75, n.14, 6601-6608.

M. Federico, Z. Percario, E. Olivetta, G. Fiorucci, C. Muratori, A. Micheli, G. Romeo, and E. Affabris Human Immunodeficiency virus type 1 Nef activates STAT1 in human monocytes/macrophages through the release of soluble factors. *Blood*, 2001 November 1, 98, n.9, 2752-2761.

P. D'Aloja, A.C. Santarcangelo, S. Arold, A. Baur, and M. Federico Genetic and functional analysis of the human immunodeficiency virus (HIV) type 1-inhibiting F12-HIVnef allele. *J. Gen. Virology*, 2001, 82, 2735-2745.

Wolf D, Witte V, Laffert B, Blume K, Stromer E, Trapp S, d'Aloja P, Schürmann A, Baur AS. HIV-1 Nef associated PAK and PI3-kinases stimulate Akt-independent Bad-phosphorylation to induce anti-apoptotic signals. *Nat Med.* 2001 Nov;7(11):1217-24.

Fackler OT, Wolf D, Weber HO, Laffert B, D'Aloja P, Schuler-Thurner B, Geffin R, Saksela K, Geyer M, Peterlin BM, Schuler G, Baur AS. A natural variability in the proline-rich motif of Nef modulates HIV-1 replication in primary T cells. *Curr Biol.* 2001 Aug 21;11(16):1294-9.

Buttò S. Vaccino: una luce in fondo al tunnel? "Positifs", 43: 14-19, 2001.

Buttò S., Tripiciano A. and Scoglio A. Il corso dell'infezione da virus dell'immunodeficienza umana. "Positifs", 47 (supplement: Infezione da HIV – Repertorio delle sperimentazioni terapeutiche, 2001): 10-14, 2001.

Tondelli L., Canto E., Pistagna A., Buttò S., Tripiciano A., Cortesi R., Sparnacci K. And Laus M. Tailor-made core-shell nanospheres for antisense oligonucleotide delivery: IV. Adsorption/release behaviour. "Journal of Biomaterials Science Polymer Edition", 12: 1281-1372, 2001.

2002

Fanales-Belasio E., Moretti S., Nappi F., Barillari G., Micheletti F., Cafaro A., and Ensoli B. Native HIV-1 Tat protein targets monocyte-derived dendritic cells and enhances their maturation, function and antigen-specific T cell responses. *J. Immunol.*, 168:197-206, 2002.

Battistini A., Marsili G., Sgarbanti M., Ensoli B., and Hiscott J. Review: IRF Regulation of HIV-1 Long Terminal Repeat Activity. *J. Interferon Cytokine Res.* 22:27-37, 2002.

Sgadari C., Barillari G., Toschi E., Carlei D., Bacigalupo I., Baccarini S., Palladino C., Leone P., Bugarini R., Malavasi L., Cafaro A., Falchi M., Valdembri D., Rezza G., Bussolino F., Monini P., and Ensoli B. HIV protease inhibitors are potent anti-angiogenic molecules and promote regression of Kaposi's sarcoma. *Nat. Med.*, 8:225-232, 2002.

Ensoli B., and Cafaro A. HIV-1 Tat vaccines. *Virus Res.*, 82(1-2):91-101, 2002.

Barillari G., and Ensoli B. Angiogenic Effects of Extracellular Human Immunodeficiency virus type 1 Tat Protein and its role in the pathogenesis of AIDS-associated Kaposi's Sarcoma. *Clin. Microbiol. Rev.*, 15:310-32, 2002.

Ensoli B. HIV protease inhibitors have specific anti-cancer effects. *Biomed. & Pharmacother.*, Vol. 56, No. 8, 2002.

Caputo A., Betti M., Altavilla G., Bonaccorsi A., Boarini C., Marchisio M., Buttò S., Sparnacci K., Laus M., Tondelli L., and Ensoli B. Micellar-type complexes of tailor-made synthetic block copolymers containing the HIV-1 tat DNA for vaccine application. *Vaccine*, 20:2303-2317, 2002.

Sgarbanti M., Borsetti A., Moscufo N., Bellocchi M.C., Ridolfi B., Nappi F., Marsili G., Marziali G., Coccia E.M., Ensoli B., and Battistini A. Modulation of HIV-1 Replication by Interferon Regulatory Factors. *J. Exp. Med.*, 195:1359-1370, 2002.

Almond N., Anzala O., Bektimirov T., Berman P., Birx D., Carneiro J., Chongprasert S., Cichutek K., Darbyshire J., Duarte C., Ensoli B., Fenyo E.M., Girard M., Goldenthal K., Golding H., Holmes H., Johnston M., Mallet L., Mawle A., Mugerwa R., Pitisuttithum P., Rees H., Robertson J., Rowland-Jones S., Sang G., Schild G., Shao Y., Sheets R., Takemori T., Tramont E., Vandepapeliere P., van der Groen G., Weiner D., and Widdus R. Scientific considerations for the regulation and clinical evaluation of HIV/AIDS preventive vaccines. (Collective views of an international group of experts, Report from a WHO-UNAIDS Consultation, Geneva, Switzerland, March 13-15, 2001); *AIDS*, 16:W15-W25, 2002.

Micheletti F., Monini P., Fortini C., Rimessi P., Bazzaro M., Andreoni M., Giuliani M., Traniello S., Ensoli B., and Gavioli R. Identification of cytotoxic T lymphocyte epitopes of human herpes virus 8. *Immunology*, 106:395-403, 2002.

Sirianni M.C., Libi F., Scaramuzzi D., Campagna M., Monini P., and Ensoli B. NK cell activity, HHV-8 infection and HAART. In Monduzzi Eds., *International Proceedings Division, XIV International AIDS Conference, Barcelona (Spain), July 7 – July 12, 2002*, pp. 39-41.

Cara A., Cafaro A., Baroncelli S., Maggiorella M.T., Negri D.R.M., Fanales-Belasio E., Moretti S., Michelini Z., Fiorelli V., Buttò S., Tripiciano A., Sernicola L., Scoglio A., Borsetti A., Ridolfi B., Macchia I., Mancini M.G., Belli R., Farcomeni S., Nappi F., Vardas E., Colvin M., Laguardia E.,

Caputo A., Magnani M., Titti F., and Ensoli B. Development of HIV/AIDS vaccine based on Tat: preclinical and clinical studies. In Monduzzi Eds., International Proceedings Division, XIV International AIDS Conference, Barcelona (Spain), July 7 – July 12, 2002, pp. 251-256.

Fanales-Belasio E., Cafaro A., Cara A., Negri D.R.M., Fiorelli V., Buttò S., Sonia Moretti,1 Moretti S., Maggiorella M.T., Baroncelli S., Michelini Z., Tripiciano A., Sernicola L., Scoglio A., Borsetti A., Ridolfi B., Bona R., ten Haaft P., Macchia I., Leone P., Pavone-Cossut M. R., Nappi F., Efthya Vardas,3 Mauro Magnani,4 Elena Laguardia,4 Antonella Caputo,5 Vardas E., Magnani M., Laguardia E., Caputo A., Titti F., and Ensoli B. Hiv-1 Tat-Based Vaccines: from Basic Science to Clinical Trials. *DNA and Cell Biol.*, 21:599-610, 2002.

Sirianni M.C., Vincenti L., Topino S., Giovanetti A., Mazzetta F., Libi F., Scaramuzzi D., Andreoni M., Pinter E., Baccharini S., Rezza R., Monini P., and Ensoli B. NK cell activity controls human herpesvirus 8 latent infection and is restored upon HAART in AIDS patients with regressing Kaposi's sarcoma. *Eur. J. Immunol.*, 32:2711-2720, 2002.

Rharbaoui F., Drabner B., Borsutzky S., Winckler U., Morr M., Ensoli B., Mühlradt P.F., and Guzman C.A. The Mycoplasma-derived lipopeptide MALP-2 is a potent mucosal adjuvant. *Eur. J. Immunol.*, 32:2857-2865, 2002.

Ensoli B. Gli inibitori delle proteasi di HIV hanno una potente azione anti-angiogenica ed anti-tumorale indipendente dalla loro attività anti-retrovirale. In: Indinavir nella strategia terapeutica della malattia da HIV, Edizioni Internazionali srl, Divisione EDIMES-Edizioni Medico-Scientifiche 2002, pp.59-78.

Lubeseder-Martellato C., Guenzi E., Jörg A., Töpolt K., Naschberger E., Kremmer E., Zietz C., Tschachler E., Hutzler P., Schwemmler M., Matzen K., Grimm T., Ensoli B., and Stürzl M. Guanylate-binding protein-1 expression is selectively induced by inflammatory cytokines and is an activation marker of endothelial cells during inflammatory diseases. *Am. J. Pathol.* 161:1749-1759, 2002.

Toschi E., Sgadari C., Monini P., Barillari G., Bacigalupo I., Palladino C., Baccharini S., Carlei D., Grosso G., Sirianni M.C. and Ensoli B. Treatment of Kaposi's Sarcoma, an update. *Anti-Cancer Drugs*, 13:977-987, 2002.

Monini P., Sirianni M.C., and Ensoli B. Concomitant clearance of human herpesvirus 8 from blood and regression of leukopenia-associated aggressive classic Kaposi's sarcoma upon α -interferon therapy. *Oncol. Rev. J.*, issue 4, pp.18-20, 2002.

Broccolo F., Locatelli G., Sarmati L., Piergiovanni S., Veglia F., Andreoni M., Buttò S., Ensoli B., Lusso P., Malnati M.S. Calibrated Real-Time PCR Assay for Quantitation of Human Herpesvirus 8 DNA in Biological Fluids. *J. Clin. Microbiol.* 40:4652-4658, 2002.

Sgadari C., Monini P., Toschi E., Baccharini S., Grosso M.G., Moracci G., Malavasi L., and Ensoli B. HIV Protease Inhibitors inhibit Kaposi's sarcoma by blocking angiogenesis and tumour cell invasion. *Haematologica*, (Meeting Supplement 1 to n. 11) 87:37-41, 2002.

Zamarchi R., Allavena P., Borsetti A., Stievano L., Tosello V., Marcato N., Esposito G., Roni V., Paganini C., Bianchi G., Titti F., Verani P., Gerosa G., Amadori A. Expression and functional activity of CXCR-4 and CCR-5 chemokine receptors in human thymocytes. *Clinical Experimental immunology* 127(2): 321-330, 2002.

Titti F, Zamarchi R, Maggiorella MT, Sernicola L, Geraci A, Negri D, Borsetti A, Menin C, D'Andrea E, Modesti A, Masuelli L, Verani P, Chieco-Bianchi L, Amadori A. Infection of simian B lymphoblastoid cells with simian immunodeficiency virus is associated with up-regulation of CD23 and CD40 cell surface markers. *Journal of Medical Virology* 2002. 68(1): 129-140.

Titti F, Zamarchi R, Maggiorella MT, Sernicola L, Geraci A, Negri DR, Borsetti A, Menin C, D'Andrea E, Modesti A, Masuelli L, Verani P, Chieco-Bianchi L, Amadori A. Infection of simian B lymphoblastoid cells with simian immunodeficiency virus is associated with upregulation of CD23 and CD40 cell surface markers. *J Med Virol*. 2002 Sep;68(1):129-40.

Zamarchi R, Allavena P, Borsetti A, Stievano L, Tosello V, Marcato N, Esposito G, Roni V, Paganin C, Bianchi G, Titti F, Verani P, Gerosa G, Amadori A. Expression and functional activity of CXCR-4 and CCR-5 chemokine receptors in human thymocytes. *Clin Exp Immunol*. 2002 Feb;127(2):321-30.

C. Muratori, I. Schiavoni, G. Melucci-Vigo, E. Olivetta., A.C. Santarcangelo, K. Pugliese, P. Verani, and M. Federico Inducible expression of the \square NGFr/F12Nef fusion Protein as a new tool for anti-HIV-1 gene therapy. *Human Gene Therapy*, 13:1751-1766. September 20, 2002.

Giuliani M., Mastroianni A., Di Carlo A., Donati P., Miceli M., Monini P., Rezza G. Onset of non-AIDS Kaposi's sarcoma during therapy with interferon alfa-2a in an 82-year-old man with concomitant cutaneous T-cell lymphoma. *Arch Dermatol*, 138:533-537 (2002) (IF: 2.761)

Malnati M., Broccolo F., Nozza S., Sarmati L., Ghezzi S., Locatelli G., Delfanti F., Capiluppi B., Careddu A., Andreoni M., Monini P., Poli G., Lazzarin A., Lusso P., And Tambussi G. Retrospective analysis of HHV-8 viremia and cellular viral load in HIV-seropositive patients receiving interleukin 2 in combination with antiretroviral therapy. *Blood*, 100:1575-1578 (2002) (IF: 9.631)

Malnati M., Broccolo F., Nozza S., Sarmati L., Ghezzi S., Locatelli G., Delfanti F., Capiluppi B., Careddu A., Andreoni M., Monini P., Poli G., Lazzarin A., Lusso P., And Tambussi G. Retrospective analysis of HHV-8 viremia and cellular viral load in HIV-seropositive patients receiving interleukin 2 in combination with antiretroviral therapy. *Blood*, 100:1575-1578 (2002) (IF: 9.631)

2003

Grosso G., Sgadari C., Barillari G., Toschi E., Bacigalupo I., Carlei D., Palladino C., Baccarini S., Malavasi L., Moracci G., Leone P., Chiozzini C., Monini P., and Ensoli B. Trattamento del Sarcoma di Kaposi mediante gli inibitori della proteasi di HIV. *Recenti Progressi in Medicina (Italian)*, Vol. 94, n. 2, pp.69-74, 2003.

Caputo A., Gavioli R., Altavilla G., Brocca Cofano E., Boarini C., Betti M., Castaldello A., Lorenzini F., Micheletti F., Cafaro A., Sparnacci K., Laus M., Tondelli L., and Ensoli B. Immunization with low doses of HIV-1 tat DNA delivered by novel cationic block copolymers induces CTL responses against Tat. *Vaccine*, 21: 1103-1111, 2003.

Monini P., Sgadari C., Barillari G. and Ensoli B. The HIV protease inhibitors: anti-retroviral agents with anti-inflammatory, anti-angiogenic and anti-tumor activity. *J. Antimicrobial Chemother.*, 51:207-211, 2003.

Dominici S., Laguardia M.E., Serafini G., Chiarantini L., Fortini C., Tripiciano A., Brocca-Cofano E., Scoglio A., Caputo A., Fiorelli V., Gavioli R., Cafaro A., Ensoli B., and Magnani M. Red blood cell-mediated delivery of recombinant HIV-1 Tat protein in mice induces anti-Tat neutralizing antibodies and CTL. *Vaccine*, 21:2082-2090, 2003.

Ensoli B., Sgadari C., Barillari G. and Monini P. The Fibroblast Growth Factors. In: *The Cytokine Handbook (IV Edition, Chapter 31, Thomson A. and Lotze M. Eds.)*, Vol. II, pp.747-781, 2003.

Borsutzky S., Fiorelli V., Ebensen T., Tripiciano A., Rharbaoui F., Scoglio A., Link C., Nappi F., Morr M., Buttò S., Cafaro A., Mühlradt P.F., Ensoli B., and Guzman CA. Efficient mucosal delivery of the HIV-1 Tat protein using the synthetic lipopeptide MALP-2 as adjuvant. *Eur. J. Immunol.*, 33:1548-1556, 2003.

Marinaro M., Riccomi A., Rappuoli R., Pizza M., Fiorelli V., Tripiciano A., Cafaro A., Ensoli B., and De Magistris M.T. Mucosal delivery of the human immunodeficiency virus-1 Tat protein in mice elicits systemic neutralizing antibodies, cytotoxic T lymphocytes and mucosal IgA. *Vaccine*, 21(25-26)-3503-4094, 2003.

Barillari G., Sgadari C., Toschi E., Monini P., and Ensoli B. HIV protease inhibitors as new treatment options for Kaposi's sarcoma. *Drug Res. Update*, 6:173-181, 2003.

Sgadari C., Monini P., Barillari G. and Ensoli B. Use of HIV protease inhibitors to block Kaposi's sarcoma and tumour growth. *Lancet Oncol.*, 4:537-547, 2003.

Buttò S., Fiorelli V., Tripiciano A., Ruiz-Alvarez M.J., Scoglio A., Ensoli F., Ciccozzi M., Collacchi B., Sabbatucci M., Cafaro A., Guzmán C.A., Borsetti A., Caputo A., Vardas E., Colvin M., Lukwya M., Rezza G., Ensoli B., and the Tat Multicentric Study Group. Sequence conservation and antibody cross-recognition of the clade B human immunodeficiency virus (HIV) type 1 Tat Protein in HIV-1-Infected Italian, Ugandan and South Africans. *J. Infect. Dis.*, 188:1171-1180, 2003.

Marsili G., Borsetti A., Sgarbanti M., Remoli A.L., Ridolfi B., Stellacci E., Ensoli B., and Battistini A. On the role of interferon regulatory factors in HIV-1 replication. *Ann. NY Acad. Sci.*, 1010:29-42, 2003.

Alessandri G., Fiorentini S., Licenziati S., Bonafede M., Monini P., Ensoli B., and Caruso A. CD8(+)CD28(-) T lymphocytes from HIV-1-infected patients secrete factors that induce endothelial cell proliferation and acquisition of Kaposi's sarcoma cell features. *J. Interferon Cytokine Res.*, 23:523-531, 2003.

Savarino A., Bensi T., Chiocchetti A., Bottarel F., Mesturini R., Ferrero E., Colosso L., Deraglio S., Ortolan E., Buttò S., Cafaro A., Katada T., Ensoli B., Malavasi F., and Dianzani U. Human CD38 interferes with HIV-1 fusion through a sequence homologous to the V3 loop of the viral envelope glycoprotein gp120. *FASEB J.*, 17:461-463, 2003.

E. Olivetta, Z. Percario, G. Fiorucci, G. Mattia, I. Schiavoni, C. Dennis, J. Jager, M. Harris, G. Romeo, E. Affabris, and M. Federico HIV-1 Nef Induces the release of inflammatory factors from human monocyte/macrophages: involvement of Nef endocytotic signals and NF- κ B activation. *J. Immunology*. Feb15, 2003, 170(4); 1716-1727

Z. Percario, E. Olivetta, G. Fiorucci, G. Mangino, S. Peretti, G. Romeo, E. Affabris, and M. Federico Human immunodeficiency type 1 (HIV-1) Nef activates STAT3 in primary human monocyte/macrophages through the release of soluble factors: involvement of Nef domains interacting with the cell endocytotic machinery. *Journal of Leukocyte Biology*. November 2003, 74: 8221-831.

L. Tuosto, B. Marinari, M. Andreotti, M. Federico, and E. Piccolella Vav exchange factor counteracts the HIV-1 Nef mediated decrease of plasma membrane GM1 and NF-AT activity in T cells. *European Journal of Immunology* , 2003, 33: 2186-2196.

M. Federico From lentiviruses to lentivirus vectors "Lentivirus Gene Engineering Protocols" Editor M. Federico. 2003. Humana Press Inc., Totowa, NJ

Buttò S., Tripiciano A., Scoglio A., Ruiz-Alvarez M.J., Rovetto C., Salvi E. Diagnosi di infezione da HIV: test di laboratorio. "Positivis" 54-55: 35-37, 2003.

2004

Mooij P., Nieuwenhuis I.G., Knoop C.J., Doms R.W., Bogers W.M.J.M., Ten Haaf P.J.F., Niphuis H., Koornstra W., Bieler K., Koestler J., Morein B., Cafaro A., Ensoli B., Wagner R., and Heeney J.L. Qualitative T-Helper Responses to Multiple Viral Antigens Correlate with Vaccine-Induced Immunity to Simian/Human Immunodeficiency Virus Infection. *J. Virol.*, 78:3333-3342, 2004.

Franzese O., Comandini A., Adamo R., Sgadari C., Ensoli B., Bonmassar E. HIV-Tat down-regulates telomerase activity in the nucleus of human CD4+ T cells. *Cell Death Differ.*, 11:782-784, 2004.

Cara A., Maggiorella M.T., Bona R., Sernicola L., Baroncelli S., Negri D.R.M., Leone P., Fagrouch Z., Heeney J., Titti F., Cafaro A., and Ensoli B. Circular viral DNA detection and junction sequence analysis from PBMC of SHIV-infected cynomolgus monkeys with undetectable virus plasma RNA. *Virology*, 324:531-9, 2004.

Caputo A., Brocca-Cofano E., Castaldello A., Altavilla G., De Michele R., Marchisio M., Gavioli R., Rolen U., Chiarantini L., Cerasi A., Dominici S., Magnani M., Cafaro A., Sparnacci K., Laus M., Tondelli L., and Ensoli B. Novel biocompatible anionic polymeric microspheres for the delivery of the HIV-1 Tat protein for vaccine application. *Vaccine*, 22:2910-24, 2004.

Negri D.R.M., Buffa V., Leone P., Bona R., Borghi M., Carlini F., De Angelis F., Indraccolo S., Ensoli B., Cara A. Use of retroviral vectors for the analysis of SIV/HIV-specific CD8 T cell responses. *J. Immunol. Methods*, 291:153-163, 2004.

Maggiorella M.T., Baroncelli S., Michelini Z., Fanales-Belasio E., Moretti S., Sernicola L., Cara A., Negri D.R.M., Buttò S., Fiorelli V., Tripiciano A., Scoglio A., Caputo A., Borsetti A., Ridolfi B., Bona R., ten Haaf P., Macchia I., Leone P., Pavone-Cossut M.R., Nappi F., Ciccozzi M., Heeney J., Titti F., Cafaro A., and Ensoli B. Long-term protection against SHIV89.6P replication in HIV-1 Tat vaccinated cynomolgus monkeys. *Vaccine*, 22:3258-3269, 2004.

Ridolfi B., Titti F., Fulgenzi D., Maggiorella M.T., Tinari A., Superti F., Parolin C., Ensoli B., and Borsetti A. Infection of a Simian B Cell Line by Human and Simian Immunodeficiency Viruses. *AIDS Res. Hum. Retrov.*, 20:723-732, 2004.

Gavioli R., Gallerani E., Fortini C., Fabris M., Bottoni A., Canella A., Bonaccorsi A., Marastoni M., Micheletti F., Cafaro A., Rimessi P., Caputo A. and Ensoli B. HIV-1 Tat protein modulates the generation of cytotoxic T cell epitopes by modifying proteasome composition and enzymatic activity. *J. Immunol.*, 173:3838-3843, 2004.

Sirianni M.C., Libi F., Campagna M., Scaramuzzi D., Monini P., and Ensoli B. Role of killer inhibitory receptors in human herpesvirus type 8 infection and KS development. In Monduzzi Eds., *International Proceedings Division, 12th International Congress of Immunology and 4th Annual Conference of FOCIS, Montreal (Canada), July 18 – July 23, 2004*, pp. 257-259.

Caputo A., Gavioli R. and Ensoli B. Recent advances in the development of HIV-1 Tat-based vaccines. *Curr. HIV Res.*, 2:357-376, 2004.

Monini P., Sgadari C., Toschi E., Barillari G., and Ensoli B. Antitumor effects of antiretroviral activity. *Nat. Cancer Rev.*, 4:861-875, 2004.

Ferrantelli F., Cafaro A., and Ensoli B. Nonstructural HIV proteins as targets for prophylactic or therapeutic vaccines. *Curr. Opin. Biotech.*, 15:543-56, 2004.

Sgarbanti M., Marsili G., Remoli A.L., Ridolfi B., Stellacci E., Borsetti A., Ensoli B., Battistini A. Analysis of the signal transduction pathway leading to human immunodeficiency virus-1-induced interferon regulatory factor-1 upregulation.

Ann. NY Acad. Sci., 1030:187-195, 2004.

Simonetta Di Fabio, Franco Corrias, Francesca Monardo, Titti F. Flow cytometry analysis of immune cell populations isolated from cervicovaginal secretions of Cynomolgus Monkeys. *J. Immunol. Methods* 284(1-2):7-14, 2004.

Nicole Leuchte, Barbara Köhler, Neil Berry, Neil Almond, Roger LeGrand, Rigmor Thorstenson, Titti F, Ulrike Sauermann. MhcDRB-sequences from cynomolgus macaques (*Macaca fascicularis*) of different origin. *Tissue Antigens*, 63:529-537, 2004.

Negri DRM, Baroncelli S, Catone S, Comini A, Michelini Z, Maggiorella MT, Sernicola L, Crostarosa F, Belli R, Mancini MG, Farcomeni S, Fagrouch Z, Ciccozzi M, Boros S, Liljestrom P, Norley S, Heeney J Titti F Protective efficacy of a multicomponent vector vaccine in cynomolgus monkeys after intrarectal SIVmac251 challenge. *J. Gen. Virol.* 85: 1191-1201, 2004.

Michelini Z, Negri DR, Baroncelli S, Catone S, Comini A, Maggiorella MT, Sernicola L, Crostarosa F, Belli R, Mancini MG, Farcomeni S, Fagrouch Z, Ciccozzi M, Rovetto C, Liljestrom P, Norley S, Heeney J, Titti F. T-cell-mediated protective efficacy of a systemic vaccine approach in cynomolgus monkeys after SIV mucosal challenge. *J Med Primatol.* 2004 Oct;33(5-6):251-61.

Ferrero E, Orciani M, Vacca P, Ortolan E, Crovella S, Titti F, Saccucci F, Malavasi F. Characterization and phylogenetic epitope mapping of CD38 ADPR cyclase in the cynomolgus macaque. *BMC Immunol.* 2004 Sep 21;5:21.

Leuchte N, Berry N, Köhler B, Almond N, LeGrand R, Thorstenson R, Titti F, Sauermann U. MhcDRB-sequences from cynomolgus macaques (*Macaca fascicularis*) of different origin. *Tissue Antigens.* 2004 Jun;63(6):529-37.

Negri DR, Baroncelli S, Catone S, Comini A, Michelini Z, Maggiorella MT, Sernicola L, Crostarosa F, Belli R, Mancini MG, Farcomeni S, Fagrouch Z, Ciccozzi M, Boros S, Liljestrom P, Norley S, Heeney J, Titti F. Protective efficacy of a multicomponent vector vaccine in cynomolgus monkeys after intrarectal simian immunodeficiency virus challenge. *J Gen Virol.* 2004 May;85(Pt 5):1191-201.

Di Fabio S, Corrias F, Monardo F, Titti F. Flow cytometry analysis of immune cell populations isolated from cervicovaginal secretions of cynomolgus monkeys. *J Immunol Methods.* 2004 Jan;284(1-2):7-14.

D. Goletti, S. Carrara, D. Vincenti, E. Giacomini, L. Fattorini, A.R. Garbuglia, M.R. Capobianchi, T. Alonzi, G. M. Firmi, M. Federico, G. Poli, and E. M. Coccia "Inhibition of HIV-1 replication in monocyte-derived macrophages by *Mycobacterium tuberculosis*". *Journal of Infectious Diseases*, 2004, 189: 624-633.

Schiavoni I., Muratori C., Piacentini V., Giammarioli A.M., and Federico M. The HIV-1 Nef Protein: How An AIDS Pathogenetic Factor Turns to a Tool for Combating AIDS

Current Drug Targets - Immune, Endocrine & Metabolic Disorders, March 2004, vol. 4, no. 1, pp. 19-27(9)

Schiavoni I, Trapp S, Santarcangelo AC, Piacentini V, Pugliese K, Baur A, Federico M. HIV-1 Nef enhances both membrane expression and virion incorporation of Env products. A model for the Nef-dependent increase of HIV-1 infectivity. J Biol Chem. 2004 May 28;279(22):22996-3006.

Federico M. Targeting the Nef induced increase of HIV infectivity. Curr Drug Targets Immune Endocr Metabol Disord. 2004 Dec;4(4):321-6.

Maria Cristina Galli, Alessandra Caré, Maurizio Cianfriglia, Marco Crescenzi, Eugenia Dogliotti, Maurizio Federico e Ugo Testa Linee Guida sulla sperimentazione clinica di fase I con medicinali sperimentali per la terapia genica somatica. Notiziario ISS, Luglio-Agosto 2004; Vol. 17: 15-27.

Witte V, Laffert B, Rosorius O, Lischka P, Blume K, Galler G, Stilper A, Willbold D, D'Aloja P, Sixt M, Kolanus J, Ott M, Kolanus W, Schuler G, Baur AS. HIV-1 Nef mimics an integrin receptor signal that recruits the polycomb group protein Eed to the plasma membrane. Mol Cell. 2004 Jan 30;13(2):179-90

Pistello M., Del Santo B., Buttò S., Bargagna M., Domenici R. and Bendinelli M. Genetic and phylogenetic analyses of HIV-1 corroborate the transmission link hypothesis. "Journal of Clinical Virology", 30:11-18, 2004.

Buttò S. La sperimentazione vaccinale nei paesi in via di sviluppo. "Rapporti Istisan", 06/29, 2004.

2005

Ensoli B. AIDS Vaccine Integrated Project (AVIP). *BIOforum Europe* (01/2005), pp 38-40, 2005.

Ensoli B., Buttò S., and Fiorelli V. Il vaccino contro l'HIV e l'AIDS. *Notiziario dell'Istituto Superiore di Sanità*, 18:9-13, 2005.

Rezza G., Fiorelli V., Dorrucchi M., Ciccozzi M., Tripiciano A. Scoglio A. 1, Collacchi B., Ruiz-Alvarez M., Giannetto C., Caputo A., Tomasoni L., Castelli F., Sciandra M., Sinicco A., Ensoli F., Buttò S., and Ensoli B. The Presence of Anti-Tat Antibodies Is Predictive of Long-Term Non-Progression to AIDS or Severe Immunodeficiency: Findings from a Cohort of HIV Seroconverters. *J. Infect. Dis.*, 191:1321-1324, 2005.

Biassoni R., Fogli M., Cantoni C., Costa P., Conte R., Koopman G., Cafaro A., Ensoli B., Moretta A., Moretta L., De Maria A. Molecular and functional characterization of NKG2D, NKp80, and NKG2C triggering NK cell receptors in rhesus and cynomolgus macaques: monitoring of NK cell function during simian HIV infection. *J. Immunol.* 1:174:5695-5705, 2005.

Sirianni M.C., Libi F., Campagna M., Rossi D., Capello D., Sciaranghella G., Carbone A., Simonelli C., Monini P., Gaidano G., and Ensoli B. Down-regulation of the major histocompatibility complex class I molecules by human herpesvirus type 8 and impaired natural killer cell activity in primary effusion lymphoma development. *Br. J. Haematol.*, 130:92-95, 2005.

Zhao J., Voltan R., Peng B., Davis-Warren A., Kalyanaraman V.S., Alvord W.G., Aldrich K., Bernasconi D., Buttò S., Cafaro A., Ensoli B., and Robert-Guroff M. Enhanced cellular immunity to SIV Gag following co-administration of Adenoviruses encoding wild-type or mutant HIV Tat and SIV Gag. *Virology*, 342:1-12, 2005.

Sparnacci K., Laus M., Tondelli L., Bernardi C., Magnani L., Corticelli F., Marchisio M., Ensoli B., Castaldello A., and Caputo A. Core-shell microspheres by dispersion polymerization as promising delivery systems for proteins. *J. Biomater. Sci. Polymer. Edn*, 16:1557-1574, 2005.

Ensoli B. Introduction: rational vaccine strategies against AIDS. *Microbes Infect.*, 7:1385, 2005.

Ensoli B. Rational vaccine strategies against AIDS: background and rationale. *Microbes Infect.*, 7:1445-1452, 2005.

Ensoli B. Criteria for selection of HIV vaccine candidates-general principles. *Microbes Infect.*, 7:1433-1435, 2005.

Ensoli B., Cafaro A., Caputo A., Fiorelli V., Ensoli F., Gavioli R., Ferrantelli F., Cara A., Titti F., and Magnani M. Vaccines based on the native HIV Tat protein and on the combination of Tat and the structural HIV protein variant DeltaV2 Env. *Microbes Infect.*, 7:1392-1399, 2005.

Ensoli F., Fiorelli V., Buttò S., Gavioli R., Caputo A., Monini P., Ferrantelli F., Titti F., Cafaro A., and Ensoli B. HIV/AIDS vaccine based on the native Tat protein: from basic science to clinical trials. *Giornale Italiano di Malattie Infettive (Italian)*, Vol.11(4):151-155, 2005.

Olivetta E, Pietraforte D, Schiavoni I, Minetti M, Federico M, Sanchez M. HIV-1 Nef regulates the release of superoxide anion from human macrophages. *Biochem J.* 2005, Sep 1;390(Pt 2):591-602.

Vallanti G, Lupo R, Federico M, Mavilio F, Bovolenta C. T Lymphocytes transduced with a lentiviral vector expressing F12-Vif are protected from HIV-1 infection in an APOBEC3G-independent manner. *Mol Ther.* 2005 Oct;12(4):697-706.

Peretti S, Schiavoni I, Pugliese K, Federico M. Cell Death Induced by the Herpes Simplex Virus-1 Thymidine Kinase Delivered by Human Immunodeficiency Virus-1-Based Virus-like Particles. *Mol Ther.* 2005 Dec;12(6):1185-96.

Vardas E., Buttò S., Glashoff R., Malnati M.S., Poli G., Clerici M. Preparing for phase II/III HIV vaccine in Africa. "Microbes and Infection", 7:1436-1444, 2005.

2006

Borsutzky S., Ebensen T., Link C., Daniel Becker P., Fiorelli V., Cafaro A., Ensoli B., and Guzmán C.A. Efficient systemic and mucosal responses against the HIV-1 Tat protein by Prime/Boost vaccination using the lipopeptide MALP-2 as adjuvant. *Vaccine*, 24:2049-2056, 2006.

Garrafa E., Alessandri G., Benetti A., Turetta D., Corradi A., Cantoni A.M., Cervi E., Bonardelli S., Parati E., Giulini S.M., Ensoli B., and Caruso A. Isolation and characterization of lymphatic microvascular endothelial cells from human tonsils *J. Cell. Physiol.*, 207:107-113, 2006.

Toschi E., Bacigalupo I., Strippoli R., Cereseto A., Falchi M., Chiozzini C., Nappi F., Sgadari C., Barillari G., Mainiero F., and Ensoli B. HIV-1 Tat regulates endothelial cell cycle progression via activation of the Ras/ERK MAPK signaling pathway. *Mol. Biol. Cell*, 17:1985-1994, 2006.

Remoli A.L., Marsili G., Pernotti E., Gallerani E., Ilari R., Nappi F., Cafaro A., Ensoli B., Gavioli R., and Battistini A. Intracellular HIV-1 tat protein represses constitutive LMP2 transcription increasing proteasome activity by interfering with the binding of IRF-1 to STAT1. *Biochem. J.*, 396:371-380, 2006.

Buffa V., Negri D.R.M., Leone P., Bona R., Borghi M., Bacigalupo I., Carlei D., Sgadari C., Ensoli B., and Cara A. A single administration of lentiviral vectors expressing either full-length human immunodeficiency virus 1 (HIV-1)HXB2 Rev/Env or codon-optimized HIV-1JR-FL gp120 generates durable immune responses in mice. *J. Gen. Virol.* 87:1625-1634, 2006.

Castaldello A., Brocca-Cofano E., Voltan R., Triulzi C., Altavilla G., Laus M., Sparnacci K., Balestri M., Tondelli L., Fortini C., Gavioli R., Ensoli B., and Caputo A. DNA prime and protein boost immunization with innovative polymeric cationic core-shell nanoparticles elicits broad immune responses and strongly enhance cellular responses of HIV-1 tat DNA vaccination. *Vaccine*, 24:5655-5669, 2006.

Pardini M., Giannoni F., Palma C., Iona E., Cafaro A., Brunori L., Rinaldi Monica, Fazio Vito, Laguardia M., Carbonella C., Magnani M., Ensoli B., Fattorini L., and Cassone A. Immune response and protection by DNA vaccines expressing antigen 85B of *Mycobacterium tuberculosis*. *FEMS Microbiol. Lett.*, 262:210-215, 2006.

Sgadari C., Toschi E., Bacigalupo I., Sabbatucci M., Palladino C., Carlei D., Barillari G., and Ensoli B. Patogenesi del Sarcoma di Kaposi. In: *Tumori ed Infezioni da HIV. Patogenesi e studi clinici del GICAT (Italian)*. Milano: Biomedica, pp. 15-26, 2006.

Ensoli B., Fiorelli V., Longo O., Bellino S., Ensoli F., Tripiciano A., Scoglio A., Ruiz M., Collacchi B., Francavilla V., Lazzarin A., Tambussi G., Visintini R., Narciso P., D'Offizi G., Giulianelli M., Carta M., Di Carlo A., Palamara G., and Giuliani M. Prophylactic and therapeutic Phase I trials with the active Tat protein vaccine: results of the interim analysis. In: *Antiviral Ther.* 11 (Suppl. 2), International Medical Press, pag. 79, 2006 – from the: “AIDS Vaccine 2006 Conference”, Amsterdam, The Netherlands (August 29- September 1, 2006).

Titti F., Maggiorella M.T., Sernicola L., Crostarosa F., Belli R., Pavone-Cossut M.R., Macchia I., Farcomeni S., Tenner-Racz P.K., Racz P., and Ensoli B. Protective efficacy of multiprotein genetic vaccine in the SIV-macaca animal model. In: *Antiviral Ther.* 11 (Suppl. 2), International Medical Press, pag. 188, 2006 – from the: “AIDS Vaccine 2006 Conference”, Amsterdam, The Netherlands (August 29- September 1, 2006).

Titti F., Borsetti A., Baroncelli S., Maggiorella M.T., Moretti S., Sernicola L., Belli R., Ridolfi B., Catone S., Farcomeni S., Negri D.R.M., Cafaro A., and Ensoli B. Viral outcome of Simian-Human Immunodeficiency Virus SHIV-89.6P adapted in cynomolgus monkeys (SHIV-89.6 Pcy243). In: *Antiviral Ther.* 11 (Suppl. 2), International Medical Press, pag. 189, 2006 – from the: “AIDS Vaccine 2006 Conference”, Amsterdam, The Netherlands (August 29- September 1, 2006).

Cafaro A., Fanales-Belasio E., Moretti S., Fiorelli V., Pavone-Cossut M.R., Tripiciano A., Ferrantelli F., Olivieri E., Nappi F., Macchia I., Monini P., and Ensoli B. Native Tat preferentially enters dendritic cells inducine tumor necrosis factor- α mediated Th1-polarized maturation and immune responses in monkeys and humans. In: *Antiviral Ther.* 11 (Suppl. 2), International Medical Press, pag. 83, 2006 – from the: “AIDS Vaccine 2006 Conference”, Amsterdam, The Netherlands (August 29- September 1, 2006).

Titti F., Ferrantelli F., Olivieri E., Farcomeni S., Leone P., Macchia I., Maggiorella T., Borsetti A., Cafaro A., Srivastava I., Monini P., Barnett S., and Ensoli B. A novel HIV/AIDS vaccine based on the combination of HIV Tat and Δ V2-Env proteins: preclinical studies. In: *Antiviral Ther.* 11 (Suppl. 2), International Medical Press, pag. 139, 2006 – from the: “AIDS Vaccine 2006 Conference”, Amsterdam, The Netherlands (August 29- September 1, 2006).

Ensoli F., Fiorelli V., Tripiciano A., Scoglio A., Collacchi B., Ruiz-Alvarez M., Fazio A., Panicci G., Arancio A., Stivali F., Francavilla V., Longo O., Buttò S., Poli G., and Ensoli B. Anti-Tat humoral and cellular immunity in HIV-1 infected patients, including asymptomatic individuals and LTNP, aimed at identifying immune correlates of protection which are key to vaccine development. In: *Antiviral Ther.* 11 (Suppl. 2), International Medical Press, pag. 140, 2006 – from the: “AIDS Vaccine 2006 Conference”, Amsterdam, The Netherlands (August 29- September 1, 2006).

Ensoli B., Wahren B., Le Grand R., Gavioli R., Guzman C.A., Magnani M., Stanescu I., Erfle V., Barnett S., Gotch F., Vardas E., Glashoff R., Clerici M., Poli G., Holmes H., and Caputo A. AIDS Vaccine Integrated Project (AVIP): a consortium funded by the FP-6 EU program. In: *Antiviral Ther.* 11 (Suppl. 2), International Medical Press, pag. 157, 2006 – from the: “AIDS Vaccine 2006 Conference”, Amsterdam, The Netherlands (August 29- September 1, 2006).

Simonelli C., Talamini R., Bearz A., Berretta M., Spazzapan S., Monini P., Sgadari C., Sartor I., Ensoli B., and Tirelli U. Interleukin-2 continuous infusion and angiogenesis surrogate markers in metastatic renal cell carcinoma. *Ann. Oncol.*, 17:1335-1336, 2006.

Goletti D., Macchia I., Leone P., Pace M., Sernicola L., Pavone-Cossut M.R., Maggiorella M.T., Cafaro A., Ensoli B., and Titti F. Innate anti-viral immunity is associated with the protection elicited by the Simian Immunodeficiency Virus (SIV) live attenuated virus vaccine in cynomolgus monkeys. *Med. Sci. Monit.*, 12:BR330-340, 2006.

Ferrantelli F., Buttò S., Cafaro A., Wahren B., and Ensoli B. Building Collaborative Networks for HIV/AIDS Vaccine Development: the AVIP experience. *Springer Semin. Immunopathol.*, 28:289-301, 2006.

Ensoli B., Fiorelli V., Ensoli F., Cafaro A., Titti F., Buttò S., Monini P., Magnani M., Caputo A., and Garaci E. Candidate HIV-1 Tat vaccine development: from basic science to clinical trials. *AIDS*, 20:2245–2261, 2006.

- Bozac A., Berto E., Vasquez F., Grandi P., Caputo A., Manservigi R., Ensoli B., and Marconi P. Expression of human immunodeficiency virus type 1 tat from a replication-deficient herpes simplex type 1 vector induces antigen-specific T cell responses. *Vaccine*, 24:7148-7158, 2006.
- Monini P., Toschi E., Sgadari C., Bacigalupo I., Palladino C., Carlei D., Barillari G. and Ensoli B. The use of HAART for biological tumour therapy. *J. HIV Ther.*, 11:53-56, 2006.
- Buffa V., Negri D.R., Leone P., Borghi M., Bona R., Michelini Z., Compagnoni D., Sgadari C., Ensoli B., and Cara A. Evaluation of a self-inactivating lentiviral vector expressing simian immunodeficiency virus gag for induction of specific immune responses in vitro and in vivo. *Viral Immunol.*, 19:690-701, 2006.
- Demberg T., Florese R.H., Gomez-Roman V.R., Larsen K., Van Rompay K.K., Marthas M.L., Venzon D., Kalyanaraman V., Pal R., Barnett S.W., Cafaro A., Ensoli B., and Robert-Guroff M. Non-neutralizing antibodies and vaccine-induced protection. *Retrovirology*, 3(Suppl 1):S26, 2006.
- Negri DR, Borghi M, Baroncelli S, Macchia I, Buffa V, Sernicola L, Leone P, Titti F, Cara A. Identification of a cytotoxic T-lymphocyte (CTL) epitope recognized by Gag-specific CTLs in cynomolgus monkeys infected with simian/human immunodeficiency virus. *J Gen Virol*. 2006 Nov;87(Pt 11):3385-92.
- Masella R, Vari R, D'Archivio M, Santangelo C, Scazzocchio B, Maggiorella MT, Sernicola L, Titti F, Sanchez M, Di Mario U, Leto G, Giovannini C. Oxidised LDL modulate adipogenesis in 3T3-L1 preadipocytes by affecting the balance between cell proliferation and differentiation. *FEBS Lett*. 2006 May 1;580(10):2421-9. Epub 2006 Mar 30.
- Peretti S, Schiavoni I, Pugliese K, Federico M. Selective elimination of HIV-1 infected cells by Env-directed, HIV-1 based Virus Like Particles. *Virology*. 2006 Feb 5;345(1):115-26.
- Olivetta E. & Federico M. HIV-1 Nef protects human monocyte-derived macrophages from HIV-1 induced apoptosis. *Exp Cell Res*. 2006 Apr 1;312(6):890-900.
- Claudia Muratori, Paola D'Aloja, Fabiana Superti, Antonella Tinari, Nathalie Sol-Foulon, Sandra Sparacio, Valerie Bosch, Olivier Schwartz and Maurizio Federico
Generation and characterization of a stable cell population releasing fluorescent HIV-1-based Virus Like Particles in an inducible way *BMC Biotechnology* 2006, 6:52
- Bona R, Andreotti M, Buffa V, Leone P, Galluzzo CM, Amici R, Palmisano L, Mancini MG, Michelini Z, Di Santo R, Costi R, Roux A, Pommier Y, Marchand C, Vella S, Cara A. Development of a human immunodeficiency virus vector-based, single-cycle assay for evaluation of anti-integrase compounds. *Antimicrob Agents Chemother*. 2006 Oct;50(10):3407-17.
- Zappalà A., Cicero D., Serapide mF., Paz C., catania MV., Falchi M., Parenti R., Pantò MR., La Delia F., and Cicirata F. Expression of pannexin1 in the CNS of adult mouse: cellular localization and effect of 4-aminopyridine-induced seizures. *Neuroscience*, 141:167-178, 2006.
- Ribechini E, Fortini C, Marastoni M, Traniello S, Spisani S, Monini P, Gavioli R. Identification of CD8+ T cell epitopes within lytic antigens of human herpes virus 8. *J Immunol*. 176:923-930, 2006

2007

Titti F., Cafaro A., Ferrantelli F., Tripiciano A., Moretti S., Caputo A., Gavioli R., Ensoli F., Robert-Guroff M., Barnett S., and Ensoli B. Problems and emerging approaches in HIV/AIDS vaccine development. *Exp. Opin. Emerg. Drugs*, 12:23-48, 2007.

Demberg T., Florese R.H., Heath M.J., Larsen K., Kalisz I., Kalyanaraman V.S., Lee E.M., Pal R., Venzon D., Grant R., Patterson L.J., Koriath-Schmitz B., Buzby A., Dombagoda D., Montefiori D.C., Letvin N.L., Cafaro A., Ensoli B., and Robert-Guroff M. A replication-competent Ad-HIVtat and -HIVenv priming/1 Tat and Envelope protein boosting regimen elicits enhanced protective efficacy against SHIV89.6P challenge in rhesus macaques. *J. Virol.*, 81:3414-3427, 2007.

Sirianni M.C., Campagna M., Scaramuzzi D., Carbonari M., Toschi E., Bacigalupo I., Monini P., and Ensoli B. Control of human herpes virus type 8-associated diseases by NK cells. *Ann. N.Y. Acad. Sci.* 1096:37-43, 2007.

Maggiorella M.T., Sernicola L., Crostarosa F., Belli R., Pavone-Cossut M.R., Macchia I., Tenner-Racz K., Racz P., Ensoli B., and Titti F. Multiprotein Genetic Vaccine in the SIV-Macaca animal model: a promising approach to generate sterilising immunity to HIV infection. *J. Med. Primatol.*, 36:180-194, 2007.

Bråve A., Hinkula J., Cafaro A., Eriksson L.E., Srivastava I.K., Magnani M., Ensoli B., Barnett S.W., Wahren B., Rollman E. Candidate HIV-1 gp140 Δ V2, Gag and Tat vaccines protect against experimental HIV-1/MuLV challenge. *Vaccine*, 25:6882-6890, 2007.

Voltan R., Castaldello A., Brocca-Cofano E., Altavilla G., Caputo A., Laus M., Sparnacci K., Ensoli B., Spaccasassi S., Ballestri M., and Tondelli L. Preparation and characterization of innovative protein-coated poly(methylmethacrylate) core-shell nanoparticles for vaccine purposes. *Pharm. Res.*, 24:1870-1882, 2007.

Bona R, Macchia I, Baroncelli S, Negri DR, Leone P, Pavone-Cossut MR, Catone S, Buffa V, Ciccozzi M, Heeney J, Fagrouch Z, Titti F, Cara A. T cell receptor excision circles (TRECs) analysis during acute intrarectal infection of cynomolgus monkeys with pathogenic chimeric simian human immunodeficiency virus. *Virus Res.* 2007 Jun;126(1-2):86-95. Epub 2007 Mar 2.

Puppo M, Bosco MC, Federico M, Pastorino S, Varesio L. Hypoxia inhibits Moloney murine leukemia virus expression in activated macrophages. *J Leukoc Biol.* 2007 Feb;81(2):528-38.

Mangino G, Percario ZA, Fiorucci G, Vaccari G, Manrique S, Romeo G, Federico M, Geyer M, Affabris E. In vitro treatment of human monocyte/macrophages with myristoylated recombinant Nef of HIV-1 leads to the activation of MAPKs, I κ B kinases and Interferon Regulatory Factor 3 and to the release of Beta Interferon. *J Virol.* 2007 Mar;81(6):2777-91.

Fiorucci G, Olivetta E, Chiantore MV, Federico M. Microarray Analysis Reveals CCL24/Eotaxin-2 as an Effector of the Pathogenetic Effects Induced by HIV-1 Nef. *Curr Drug Discov Technol.* 2007 Jun;4(1):12-23.

Muratori C, Sistigu A, Ruggiero E, Falchi M, Bacigalupo I, Palladino C, Toschi E, Federico M. Macrophages Transmit Human Immunodeficiency Type 1 Products to CD4 Negative Cells: Involvement of Matrix Metalloproteinase-9. *J Virol.* 2007 Sep;81(17):9078-87.

M. Federico The outstanding role of Nef in the response of macrophage to HIV infection
In "HIV and the macrophage" Editor G. Herbein.2007. Transworld Research Network

Negri DR, Michelini Z, Baroncelli S, Spada M, Vendetti S, Buffa V, Bona R, Leone P, Klotman ME, Cara A. Successful immunization with a single injection of non-integrating lentiviral vector. *Mol Ther.* 2007 Sep;15(9):1716-23.

Bona R, Macchia I, Baroncelli S, Negri DR, Leone P, Pavone-Cossut MR, Catone S, Buffa V, Ciccozzi M, Heeney J, Fagrouch Z, Titti F, Cara A. T cell receptor excision circles (TRECs) analysis during acute intrarectal infection of cynomolgus monkeys with pathogenic chimeric simian human immunodeficiency virus. *Virus Res.* 2007 Jun;126(1-2):86-95.

Zappalà A., Li Volti G., Serapide MF., Pellitteri R., Falchi M., La Delia F., Cicirata V., and Cicirata F. Expression of pannexin2 protein in healthy and ischemized brain of adult rats. *Neuroscience*, 148:653-667, 2007.

Titti F., Ferrantelli F., Cafaro A., Maggiorella MT., Sernicola L., Schiavoni I., Olivieri E., farcomeni S., Pavone-Cossut MR., Srivastava I., Barnett S., Monini P., Ensoli B. Parenteral and mucosal immunization with Tat and LV2 Env combined followed by mucosal SHIV challenge. *Mucosal Immunity and HIV/AIDS Vaccines Conference*, October 28-30, 2007, Veyrier-du-Lac, France (page 91)

Ensoli B. AIDS Vaccine Integrated Project (AVIP): a Consortium funded by the FP-6 EU Program. In: *The Parliament Magazine*, Issue 257 (November 26,2007)

