

RICERCA ITALIANA - VALUTAZIONE DEL RISCHIO TOSSICOLOGICO: EFFETTI ED ESPOSIZIONE

Pubblicazioni dal 2005 al 2007

2005

- Biolatti B, Bollo E, Cannizzo FT, Zancanaro G, Tarantola M, Da casto M, Cantiello M, Carletti M, Biolatti PG, Barbarino G. (2005) Effects of low-dose dexamethasone on thymus morphology and immunological parameters in veal calves. *J Vet Med A Physiol Pathol Clin Med.* 52:202-8.
- Bottero S, Cevasco A, Monteverde M, Pedemonte F, Bertolotti R, Vigano L, Mandich A, Massari A. (2005) In vivo and in vitro exposures of carp and carp tissues to graded concentrations of endocrine disrupting chemicals. *Ann N Y Acad Sci.* 1040:234-8.
- Branchi I, Capone F, Vitalone A, Madia F, Santucci D, Alleva E, Costa LG. (2005) Early developmental exposure to BDE 99 or Aroclor 1254 affects neurobehavioural profile: interference from the administration route. *Neurotoxicology.* 26:183-92.
- Bremer S, Cortvrintd R, Daston G, Eletti B, Mantovani A, Maranghi F, Pelkonen O, Ruhdel I, Spielmann H. (2005) Reproductive and Developmental Toxicity. *Altern Lab Anim* 33 (Suppl. 1):183-209
- Brevini TA, Cillo F, Antonini S, Gandolfi F. (2005) Effects of endocrine disrupters on the oocytes and embryos of farm animals. *Reprod Domest Anim.* 40:291-9.
- Brevini TA, Zanetto SB, Cillo F. (2005) Effects of endocrine disruptors on developmental and reproductive functions. *Curr Drug Targets Immune Endocr Metabol Disord.* 5:1-10.
- Brian JV, Harris CA, Scholze M, Backhaus T, Booy P, Lamoree M, Pojana G, Jonkers N, Runnalls T, Bonfa A, Marcomini A, Sumpter JP. (2005) Accurate prediction of the response of freshwater fish to a mixture of estrogenic chemicals. *Environ Health Perspect.* 113:721-8.
- Canesi L, Betti M, Lorusso LC, Ciacci C, Gallo G. (2005) 'In vivo' effects of Bisphenol A in *Mytilus* hemocytes: modulation of kinase-mediated signalling pathways. *Aquat Toxicol.* 71: 73-84.
- Canesi L, Lorusso LC, Ciacci C, Betti M, Gallo G. (2005) Effects of the brominated flame retardant tetrabromobisphenol-A (TBBPA) on cell signaling and function of *Mytilus* hemocytes: involvement of MAP kinases and protein kinase C. *Aquat Toxicol.* 75: 277-87.
- Dalla Valle M, Marcomini A, Sweetman AJ, Jones KC. (2005). Temporal trends in the sources of PCDD/Fs to and around the Venice Lagoon. *Environment International*, 31 (7), 1040-1046.
- Dalla Valle M, Marcomini A, Jones KC, Sweetman AJ. (2005). Reconstruction of historical trends of PCDD/Fs and PCBs in the Venice Lagoon, Italy. *Environment International*, 31 (7), 1047-1052.
- Della Seta D, Minder I, Dessi-Fulgheri F, Farabollini F. (2005) Bisphenol-A exposure during pregnancy and lactation affects maternal behaviour in rats. *Brain Res Bull.* 65: 255-60.
- Facciolo RM, Madeo M, Alo R, Canonaco M, Dessi-Fulgheri F. (2005) Neurobiological effects of bisphenol A may be mediated by somatostatin subtype 3 receptors in some regions of the developing rat brain. *Toxicol Sci.* 88: 477-84.
- Famigliani G, Palma P, Siviero A, Rezai MA, Cappiello A. (2005) Determination of endocrine disrupting compounds in marine water by nanoliquid chromatography/direct-electron ionization mass spectrometry. *Anal Chem.* 77(23):7654-61.
- Fattore E, Carubelli G, Nichetti S, Mariani G, Crosa G, Calamari D, Fanelli R. (2005) PCB contamination in farmed and wild sea bass (*Dicentrarchus labrax* L.) and exposure evaluation associated with fish consumption. *Organhalogen Compd.* 67:1427-1430.
- Ferrara F, Fabietti F, Delise M, Funari E. (2005) Alkylphenols and alkylphenol ethoxylates contamination of crustaceans and fishes from the Adriatic Sea (Italy). *Chemosphere.* 59:1145-50.
- Garritano S, Pinto B, Giachi I, Pistelli L, Reali D. (2005) Assessment of estrogenic activity of flavonoids from Mediterranean plants using an in vitro short-term test. *Phytomedicine.* 12(1-2):143-7.

- Laviola G, Gioiosa L, Adriani W, Palanza P. (2005) D-amphetamine-related reinforcing effects are reduced in mice exposed prenatally to estrogenic endocrine disruptors. *Brain Res Bull.* 65: 235-40.
- Mandich A, Benfenati E, Cronin MTD, Goksøyr A, Grøsvik BE, Kloas W, Van Cauwenberge A, Viganò L. (2005) Environmental agent susceptibility assessment using existing and novel biomarkers as rapid noninvasive testing methods. *Ann NY Acad Sci.* 1040: 381-6.
- Mandich A, Benfenati E, Cronin MTD, Goksøyr A, Grøsvik BE, Van Cauwenberge A, Viganò L. (2005). Environmental agent susceptibility assessment using existing and novel biomarkers as rapid non-invasive testing methods. *NY Acad Sci.* 381-386.
- Mantovani A, Maranghi F. (2005) Risk assessment of chemicals potentially affecting male fertility. *Contraception.* 72:308-313.
- Meucci V, Arukwe A. (2005) Detection of vitellogenin and zona radiata protein expressions in surface mucus of immature juvenile Atlantic salmon (*Salmo salar*) exposed to waterborne nonylphenol. *Aquat Toxicol.* 73(1):1-10.
- Minervini F, Giannoccaro A, Cavallini A, Visconti A. (2005) Investigations on cellular proliferation induced by zearalenone and its derivatives in relation to the estrogenic parameters. *Toxicol Lett.* 159:272-83.
- Naso B, Perrone D, Ferrante MC, Bilancione M, Lucisano A. (2005) Persistent organic pollutants in edible marine species from the Gulf of Naples, Southern Italy. *Sci Total Environ.* 343:83-95.
- Novelli M, Piaggi S, Tata VD. (2005). 2,3,7,8-Tetrachlorodibenzo-p-dioxin-induced impairment of glucose-stimulated insulin secretion in isolated rat pancreatic islets. *Toxicology Letters.* 156:307-14.
- Panzica GC, Viglietti-Panzica C, Ottinger MA. (2005) Introduction: neurobiological impact of environmental estrogens. *Brain Res Bull.* 65: 187-91.
- Porrini S, Belloni V, Della Seta D, Farabolini F, Giannelli G, Dessi-Fulgheri F. (2005) Early exposure to a low dose of bisphenol A affects socio-sexual behavior of juvenile female rats. *Brain Res Bull.* 65: 261-6.
- Razzoli M, Valsecchi P, Palanza P. (2005) Chronic exposure to low doses bisphenol A interferes with pair-bonding and exploration in female Mongolian gerbils. *Brain Res Bull.* 65: 249-54.
- Soverchia L, Ruggeri B, Palermo F, Mosconi G, Cardinaletti G, Scortichini G, Gatti G, Polzonetti Magni AM. (2005) Modulation of vitellogenin synthesis through estrogen receptor beta-1 in goldfish (*Carassius auratus*) juveniles exposed to 17-beta estradiol and nonylphenol. *Toxicol Appl Pharmacol.* 209(3):236-43.
- Tiboni GM, Giampietro F. (2005) Murine teratology of fluconazole: evaluation of developmental phase specificity and dose dependence. *Pediatric Research* 58:94-9.
- Turrio-Baldassarri L, Abballe A, Casella M, Di Domenico A, Iacovella N, La Rocca C. (2005) Analysis of 60 PCB congeners in drinkable water samples at 10-50 pg/L level. *Microchemical Journal.* 79:193-9.
- Turrio-Baldassarri L, Abate V, Iacovella N, Manfredini F, Menichini E. (2005) Occurrence of PCDD/F in urban air before and after the ban of leaded gasoline. *Chemosphere.* 59:1517-24.
- Vaccaro E, Meucci V, Intorre L, Soldani G, Di Bello D, Longo V, Gervasi PG, Pretti C. (2005) Effects of 17beta-estradiol, 4-nonylphenol and PCB 126 on the estrogenic activity and phase 1 and 2 biotransformation enzymes in male sea bass (*Dicentrarchus labrax*). *Aquat Toxicol.* 75:293-305.

2006

- Barucca M, Canapa A, Olmo E, Regoli F. (2006) Analysis of vitellogenin gene induction as a valuable biomarker of estrogenic exposure in various Mediterranean fish species. *Environ Res.* 101(1): 68-73
- Bechi N, Ietta F, Romagnoli R, Focardi S, Corsi I, Buffi C, Paulesu L. (2006) Estrogen-like response to p-nonylphenol in human first trimester placenta and BeWo choriocarcinoma cells. *Toxicological Sciences* 93: 75-81.
- Calamandrei G, Maranghi F, Venerosi A, Alleva E, Mantovani A. (2006). Efficient testing strategies for evaluation of xenobiotics with neuroendocrine activity. *Reprod Toxicol.* 22: 164-74.

- Caloni F, Ranzenigo G, Spicer LJ. (2006) Fusariotoxins and Pig Granulosa Cells: In vitro Effects on Cellular Proliferation. *Vet Res Commun.* 30:281-3.
- Capaldo A, Gay F, De Falco M, Virgilio F, Valiante S, Laforgia V, Varano L. (2006) The newt *Triturus carnifex* as a model for monitoring the ecotoxic impact of the fungicide thiophanate methyl: adverse effects on the adrenal gland. *Comp Biochem Physiol C Toxicol Pharmacol.* 143(1):86-93.
- Capolongo F, Tapparo M, Merlanti R, Ravarotto L, Tealdo E, Gallina G, Montesissa C, Dacasto M. (2006) Illicit treatments in cattle and urinary 6beta-hydroxycortisol/cortisol ratio. *Anal Chim Acta.* 586(1-2):228-32.
- Casini S, Marsili L, Fossi MC, Mori G, Bucalossi D, Porcelloni S, Caliani I, Stefanini G, Ferraro M, Di-Catenaja CA. (2006) Use of biomarkers to investigate toxicological effects of produced water treated with conventional and innovative methods. *Mar Environ Res* 61(5): 457-70
- Castoldi AF, Blandini F, Randine G, Samuele A, Manzo L, Coccini T. (2006). Brain monoaminergic neurotransmission parameters in weanling rats after perinatal exposure to methylmercury and 2,2',4,4',5,5'-hexachlorobiphenyl (PCB153). *Brain Res.* 1112(1):91-8.
- Cionna C, Maradonna F, Olivotto I, Pizzonia G, Carnevali O. (2006). Effects of nonylphenol on juveniles and adults in the grey mullet, *Liza aurata*. *Reprod Toxicol.* 22(3):449-54.
- Corsini E, Viviani B, Birindelli S, Gilardi F, Torri A, Codeca I, Lucchi L, Bartesaghi S, Galli CL, Marinovich M, Colosio C. (2006). Molecular mechanisms underlying mancozeb-induced inhibition of TNF-alpha production. *Toxicol Appl Pharmacol.* 212: 89-98.
- Della Seta D, Minder I, Belloni V, Aloisi AM, Dessi-Fulgheri F, Farabollini F. (2006) Pubertal exposure to estrogenic chemicals affects behavior in juvenile and adult male rats. *Horm Behav.* 50: 301-7.
- Fattore E, Fanelli R, Turrini A, di Domenico A. (2006) Current dietary exposure to polychlorodibenzo-p-dioxins, polychlorodibenzofurans, and dioxin-like polychlorobiphenyls in Italy. *Mol Nutr Food Res.* 50:915-21.
- Gardini G, Del Boccio P, Colombatto S, Testore G, Corpillo D, Di Ilio C, Urbani A, Nebbia C. (2006) Proteomic investigation in the detection of the illicit treatment of calves with growth-promoting agents. *Proteomics.* 6:2813-22.
- Garritano S, Pinto B, Calderisi M, Cirillo T, Amodio-Cocchieri R, Reali D. (2006) Estrogen-like activity of seafood related to environmental chemical contaminants. *Environ Health.* 30;5:9.
- Giusi G, Facciolo RM, Canonaco M, Alleva E, Belloni V, Dessi-Fulgheri F, Santucci D. (2006) The endocrine disruptor atrazine accounts for a dimorphic somatostatinergic neuronal expression pattern in mice. *Toxicol Sci.* 89:257-64.
- Latini G, Del Vecchio A, Massaro M, Verrotti A, De Felice C. (2006) In Utero Exposure to Phthalates and Fetal Development. *Current Medicinal Chemistry* 13: 2527-34.
- Le Bizec B, Courant F, Gaudin I, Bichon E, Destrez B, Schilt R, Draisci R, Monteau F, Andre F. (2006) Criteria to distinguish between natural situations and illegal use of boldenone, boldenone esters and boldione in cattle 1. Metabolite profiles of boldenone, boldenone esters and boldione in cattle urine. *Steroids.* 71(13-14):1078-87.
- Liu H, Papa E, Gramatica P. (2006) QSAR Prediction of Estrogen Activity for a Large Set of Diverse Chemicals under the Guidance of OECD Principles *Chem. Res. Toxicol.* 19(11):1540-8.
- Mantovani A. (2006) Risk assessment of endocrine disrupters. The role of toxicological studies. *Ann. N.Y. Acad. Sci.* 1076: 239-252
- Maradonna F, Carnevali O. (2006). Vitellogenin, zona radiata protein, cathepsin D and heat shock protein 70 as biomarkers of exposure to xenobiotics. *Biomarkers.* 12(3):240-55.
- Mariottini M, Corsi I, Focardi S. (2006) PCB levels in European eel (*Anguilla anguilla*) from two coastal lagoons of the Mediterranean. *Environ Monit Assess.* 117(1-3):519-28.
- Menegola E, Broccia ML, Di Renzo F, Giavini E. (2006) Postulated pathogenic pathway in triazole fungicide induced dysmorphogenic effects. *Reproductive Toxicology* 22:186-95.
- Papis E, Bernardini G, Gornati R, Menegola E, Prati M. (2006) Gene expression in *Xenopus laevis* embryos after Triadimefon exposure. *Gene Expression Patterns.* (1-2):137-42.

- Penza M, Montani C, Romani A, Vignolini P, Pampaloni B, Tanini A, Brandi ML, Alonso-Magdalena P, Nadal A, Ottobrini L, Parolini O, Bignotti E, Calza S, Maggi A, Grigolato PG, Di Lorenzo D. (2006) Genistein affects adipose tissue deposition in a dose-dependent and gender-specific manner. *Endocrinology*. 14:5740-51.
- Perugini M, Giammarino A, Olivieri V, Di Nardo W, Amorena M. (2006) Assessment of edible marine species in the Adriatic Sea for contamination from polychlorinated biphenyls and organochlorine insecticides. *J Food Prot*. 69:1144-9.
- Pizzetto L, Cerabolini B, Jones K, Papa E, Grammatica P, Di Guardo A. (2006) Accumulation of Persistent Organic Pollutants (POPs) in canopies of different forest types: role of species composition and altitudinal-temperature gradient *Environ. Sci. Technol*. 40 (21): 6580-6586.
- Pocar P, Brevini TA, Antonini S, Gandolfi F. (2006) Cellular and molecular mechanisms mediating the effect of polychlorinated biphenyls on oocyte in vitro maturation. *Reproductive Toxicology* 22:242-9.
- Porte C, Janer G, Lorusso LC, Ortiz-Zarragoitia M, Cajaraville MP, Fossi MC, Canesi L. (2006) Endocrine disruptors in marine organisms: Approaches and perspectives. *Comp Biochem Physiol C Toxicol Pharmacol*. 143(3):303-15.
- Roda A, Mirasoli M, Michelini E, Magliulo M, Simoni P, Guardigli M, Curini R, Sergi M, Marino A. (2006) Analytical approach for monitoring endocrine-disrupting compounds in urban waste water treatment plants. *Anal Bioanal Chem*. 385(4):742-52.
- Saarinen NM, Bingham C, Lorenzetti S, Mortensen AA, Mäkela S, Penttinen P, Sorensen IK, Valsta LM, Virgili F, Vollmer G, Wärri A, Zierau O. (2006) Tools to evaluate estrogenic potency of dietary phytoestrogens: a consensus paper from the EU thematic network "Phytohealth" (QLKI-2002-2453) *Genes and Nutrition* Vol 1, No 3-4 pp.143-158.
- Toffolatti L, Rosa Gastaldo L, Patarnello T, Romualdi C, Merlanti R, Montesissa C, Poppi L, Castagnaro M, Bargelloni L. (2006) Expression analysis of androgen-responsive genes in the prostate of veal calves treated with anabolic hormones. *Domest Anim Endocrinol*. 30:38-55.
- Turci R, Turconi G, Comizzoli S, Roggi C, Minoia C. (2006) Assessment of dietary intake of polychlorinated biphenyls from a total diet study conducted in Pavia, Northern Italy. *Food Addit Contam*. 23(9):919-38.

2007

- Brambilla G, Dellatte E, Fochi I, Iacovella N, Miniero R, di Domenico A. (2007) Depletion of selected polychlorinated biphenyl, dibenzodioxin, and dibenzofuran congeners in farmed rainbow trout (*Oncorhynchus mykiss*): a hint for safer fish farming. *Chemosphere*. 66: 1019-30.
- Brian JV, Harris CA, Scholze M, Kortenkamp A, Booy P, Lamoree M, Pojana G, Jonkers N, Marcomini A, Sumpter JP. (2007) Evidence of estrogenic mixture effects on the reproductive performance of fish. *Environ Sci Technol*. 41:337-44.
- Canesi L, Borghi C, Ciacci C, Fabbri R, Vergani L, Gallo G. (2007). Bisphenol-A alters gene expression and functional parameters in molluscan hepatopancreas. *Mol Cell Endocrinol*. 30;276(1-2):36-44.
- Canesi L, Lorusso LC, Ciacci C, Betti M, Rocchi M, Pojana G, Marcomini A. (2007) Immunomodulation of *Mytilus* hemocytes by individual estrogenic chemicals and environmentally relevant mixtures of estrogens: In vitro and in vivo studies. *Aquat Toxicol*. 81:36-44.
- Cantiello M, Carletti M, Cannizzo FT, Nebbia C, Bellino C, Pie S, Oswald IP, Bollo E, Dacasto M. (2007) Effects of an illicit cocktail on serum immunoglobulins, lymphocyte proliferation and cytokine gene expression in the veal calf. *Toxicology*. 242(1-3):39-51.
- Carletti M, Cantiello M, Giantin M, Nebbia C, Cannizzo FT, Bollo E, Dacasto M. (2007) Serum antioxidant enzyme activities and oxidative stress parameters as possible biomarkers of exposure in veal calves illegally treated with dexamethasone. *Toxicol In Vitro*. 21(2):277-283.
- Carubelli G, Fanelli R, Mariani G, Nichetti S, Crosa G, Calamari D, Fattore E. (2007) PCB contamination in farmed and wild sea bass (*Dicentrarchus labrax* L.) from a coastal wetland area in central Italy. *Chemosphere*. 68(9):1630-5.

- Cecconi S, Paro R, Rossi G, Macchiarelli G. (2007) The effects of the endocrine disruptors dithiocarbamates on the mammalian ovary with particular regard to mancozeb. *Curr Pharm Des.* 13(29):2989-3004.
- Coccini T, Roda E, Castoldi AF, Goldoni M, Poli D, Bernocchi G, Manzo L. (2007). Perinatal co-exposure to methylmercury and PCB153 or PCB126 in rats alters the cerebral cholinergic muscarinic receptors at weaning and puberty. *Toxicology.* 238(1):34-48.
- Cordelli E, Freseghna AM, D'Alessio A, Eleuteri P, Spanò M, Pacchierotti F & Villani P. (2007). ReProComet: a new in vitro method to assess DNA damage in mammalian sperm. *Toxicol Sci* 99: 545-552.
- Corsini E, Codeca I, Mangiaratti S, Birindelli S, Minoia C, Turci R, Viviani B, Facchi A, Vitelli N, Lucchi L, Galli CL, Marinovich M, Colosio C. (2007) Immunomodulatory effects of the herbicide propanil on cytokine production in humans: In vivo and in vitro exposure. *Toxicol Appl Pharmacol.* 222(2):202-10.
- Corsolini S. (2007) Non-pesticide endocrine disrupters and reproductive health. In *Reproductive Health and the Environment. Series: Environmental Science and Technology Library, Vol. 22.* Nicolopoulou-Stamati, P.; Hens, L.; Howard, C.V. (Eds.). Springer, Dordrecht (NL), pp. 161-186
- Corsolini S, Sara G, Borghesi N, Focardi S. (2007) HCB, p,p'-DDE and PCB ontogenetic transfer and magnification in bluefin tuna (*Thunnus thynnus*) from the Mediterranean Sea. *Environ Sci Technol* 41: 4227-4233.
- De Falco M, Sciarrillo R, Capaldo A, Russo T, Gay F, Valiante S, Varano L, Laforgia V. (2007) The Effects of the Fungicide Methyl Thiophanate on Adrenal Gland Morphophysiology of the Lizard, *Podarcis sicula*. *Arch Environ Contam Toxicol.* 53(2):241-8.
- Diano N., Grano V., Fraconte L., Caputo P., Ricupito A., Attanasio A., Bianco M., Bencivenga U., Rossi S., Manco I., Mita L., Del Pozzo G., Mita D.G. (2007) Non-isothermal bioreactors in enzymatic remediation of waters polluted by endocrine disruptors: BPA as a model of pollutant. *Appl Catal B Env*, 69 (3-4) :252-261.
- Draisci R, Merlanti R, Ferretti G, Fantozzi L, Ferranti C, Capolongo F, Segato S, Montesissa C. (2007) Excretion profile of boldenone in urine of veal calves fed two different milk replacers. *Anal Chim Acta.* 586(1-2):171-6.
- Draisci R, Montesissa C, Santamaria B, D'Ambrosio C, Ferretti G, Merlanti R, Ferranti C, De Liguoro M, Cartoni C, Pistarino E, Ferrara L, Tiso M, Scaloni A, Cosulich ME. (2007) Integrated analytical approach in veal calves administered the anabolic androgenic steroids boldenone and boldione: urine and plasma kinetic profile and changes in plasma protein expression. *Proteomics.* 7(17):3184-93.
- Ferrante MC, Cirillo T, Naso B, Clausi MT, Lucisano A, Cocchieri RA. (2007) Polychlorinated biphenyls and organochlorine pesticides in seafood from the Gulf of Naples (Italy). *J Food Prot.* 70(3):706-15.
- Ferretti G, Palleschi L, Marchiafava C, delli Quadri F, Fantozzi L, Ferranti C, Cammarata P, Macri A, Montesissa C, Draisci R. (2007) Excretion profile of boldenone and its metabolites after oral administration to veal calves. *Anal Chim Acta.* 589(2):269-74.
- Frazzoli C, D'Amato M, Caroli S, Záray G. (2007) Arsenic and other potentially toxic trace elements in rice. In: S. Caroli (Ed.) *The determination of chemical elements in food: application for atomic and mass spectrometry*, John Wiley & Sons, Hoboken, New Jersey, 2007 pp. 383 - 400.
- Frazzoli C, D'Illio S, Bocca B. (2007) Determination of Cd and Pb in Honey by SF-ICP-MS: Validation Figures and Uncertainty of Results, *Anal. Lett.*, 40:1992-2004.
- Fusani L, Della Seta D, Dessi-Fulgheri F, Farabollini F. (2007) Altered reproductive success in rat pairs after environmental-like exposure to xenoestrogen. *Proc Biol Sci.* 274(1618):1631-6.
- Gandolfi F., Brevini T.A.L., Cillo F. (2007) Oocytes and ovarian follicles as targets of endocrine disrupters; consequences for reproductive health. In *Reproductive Health and the Environment. Series: Environmental Science and Technology Library, Vol. 22.* Nicolopoulou-Stamati, P.; Hens, L.; Howard, C.V. (Eds.). Springer, Dordrecht (NL), pp. 141-158

- Gramatica P, Papa E. (2007) Screening and ranking of POPs for Global Half-Life: a QSAR approach for prioritization. *Environ. Sci. Technol.* 41(8); 2833-2839.
- Guerzoni S, Rossini P, Sarretta A, Raccanelli S, Ferrari G, Molinaroli E. (2007) POPs in the Lagoon of Venice: budgets and pathways. *Chemosphere.* 2007 Apr;67(9):1776-85.
- Liu H, Papa E, Walker J, Gramatica P. (2007) In silico Screening of Estrogen-Like Chemicals Based on Different Nonlinear Classification Models *J.Mol. Graph. Model.* 26(1):135-44.
- Mandich A, Bottero S, Benfenati E, Cevasco A, Erratico C, Maggioni S, Massari A, Pedemonte F, Vigano L. (2007) In vivo exposure of carp to graded concentrations of bisphenol A. *Gen Comp Endocrinol.* 153(1-3):15-24.
- Mantovani A., Maranghi F. (2007) Endpoints For Prenatal Exposures In Toxicological Studies. In *Congenital Diseases and the Environment. Series: Environmental Science and Technology Library , Vol. 23.* Nicolopoulou-Stamati, P.; Hens, L.; Howard, C.V. Eds. Springer, Dordrecht (NL), pp. 21-36.
- Maranghi F, Rescia M, Macri C, Di Consiglio E, De Angelis G, Testai E, Farini D, De Felici M, Lorenzetti S, Mantovani A. (2007) Lindane may modulate the female reproductive development through the interaction with ER-beta: an in vivo-in vitro approach. *Chem Biol Interact.* 169(1):1-14.
- Marino M, Mita DG (eds.). *The Endocrine Disruptors (2007) Transworld Research Network , Trivandrum -Kerala (India)*
- Merlanti R, Gallina G, Capolongo F, Contiero L, Biancotto G, Dacasto M, Montesissa C. (2007) An in vitro study on metabolism of 17beta-boldenone and boldione using cattle liver and kidney subcellular fractions. *Anal Chim Acta.* 586(1-2):177-83.
- Miniero R, Ingelido AM, Iamiceli AL, Ferri F, Iacovella N, Fulgenzi AR, De Felip E, di Domenico A. (2007) High concern chemicals in top layer sediments of the northern Adriatic seabed as markers of old waste dumpings. *Chemosphere.* 68(9):1788-97.
- Mita DG, Attanasio A, Arduini F, Diano N, Grano V, Bencivenga U, Rossi S, Amine A, Moscone D. (2007) Enzymatic determination of BPA by means of tyrosinase immobilized on different carbon carriers. *Biosens Bioelectron.* 23(1):60-65.
- Pandelova M, Henkelmann B, Roots O, Simm M, Jarv L, Benfenati E, Schramm KW. (2007) Levels of PCDD/F and dioxin-like PCB in Baltic fish of different age and gender. *Chemosphere.* 71(2):369-78.
- Penza M, Montani C, Romani A, Vignolini P, Ciana P, Maggi A, Pampaloni B, Caimi L, Di Lorenzo D. (2007) Genistein accumulates in body depots and is mobilized during fasting, reaching estrogenic levels in serum that counter the hormonal actions of estradiol and organochlorines. *Toxicol Sci.* 97(2):299-307.
- Pojana G, Gomiero A, Jonkers N, Marcomini A. (2007). Natural and synthetic endocrine disrupting compounds (EDCs) in water, sediment and biota of a coastal lagoon. *Environ Int.* 33(7):929-36.
- Pozo K, Urrutia R, Barra R, Mariottini M, Treutler HC, Araneda A, Focardi S. (2007) Records of polychlorinated biphenyls (PCBs) in sediments of four remote Chilean Andean Lakes. *Chemosphere.* 66(10):1911-21.
- Rescia M., Mantovani A. (2007). Pesticides as Endocrine Disrupters: Identification of Hazards for Female Reproductive Function. In *Reproductive Health and the Environment. Series: Environmental Science and Technology Library, Vol. 22.* Nicolopoulou-Stamati, P.; Hens, L.; Howard, C.V. (Eds.). Springer, Dordrecht (NL), pp. 161-86.
- Richter CA, Birnbaum LS, Farabollini F, Newbold RR, Rubin BS, Talsness CE, Vandenberg JG, Walser-Kuntz DR, Vom Saal FS. (2007) In vivo effects of bisphenol A in laboratory rodent studies. *Reprod Toxicol.* 24(2):199-224.
- Turrio-Baldassarri L, Abate V, Alivernini S, Battistelli CL, Carasi S, Casella M, Iacovella N, Iamiceli AL, Indelicato A, Scarcella C, La Rocca C. (2007) A study on PCB, PCDD/PCDF industrial contamination in a mixed urban-agricultural area significantly affecting the food chain and the human exposure. Part I: Soil and feed. *Chemosphere.* 67(9):1822-30.
- Urbatzka R, Bottero S, Mandich A, Lutz I, Kloas W. (2007) Endocrine disruptors with (anti)estrogenic and (anti)androgenic modes of action affecting reproductive biology of *Xenopus laevis*: I. Effects on

sex steroid levels and biomarker expression. *Comp Biochem Physiol C Toxicol Pharmacol.* 144(4):310-8.

- Viglietti-Panzica C, Mura E, Panzica GC. (2007) Effects of early embryonic exposure to genistein on male copulatory behavior and vasotocin system of Japanese quail. *Horm. Behav.* 51: 355-363.